S.476

THE NATURAL HISTORY MUSEUM
05 JUL 2001
PRESENTED
GENERAL LIBRARY

The Scottish Naturalist

Volume 110 1998
Part Three

Annual Subscription £35.00

A Journal of Scottish Natural History

THE SCOTTISH NATURALIST

Founded 1871

A Journal of Scottish Natural History

Editorial Committee:

J.A. Gibson

John Hamilton

John C. Smyth

THE SCOTTISH NATURAL HISTORY LIBRARY
Foremount House, Kilbarchan, Renfrewshire PA10 2EZ

The *Scottish Naturalist,* now published by the Scottish Natural History Library, is an independent journal primarily devoted to the study of Scottish natural history. It was founded in 1871 by Dr. F. Buchanan White, of Perthshire, and in 1988 completed one hundred years of publication. For a summary of the record of publication, see the inside back cover.

Although the journal's main interests have always centred on the history and distribution of Scottish fauna and flora, it is prepared to publish contributions on the many aspects of Scottish natural science embraced by its title, including Zoology, Botany, Geology, History, Geography, Medicine and the allied sciences, Archaeology, and the Environment.

All papers and notes for publication, or books for review, should be sent to the Editors at the Scottish Natural History Library, Foremount House, Kilbarchan, Renfrewshire PA10 2EZ.

Contributions should be clearly written; whenever possible they should be typed, double-spaced, on one side of the paper, with adequate margins, and should try to conform to the general style and arrangement of papers and notes in the current number of the journal. Maps, diagrams and graphs should be drawn in black ink on white unlined paper. Photographs should be on glossy paper. Proofs of all contributions will be sent to authors and should be returned without delay.

Authors of papers, but not of short notes, will receive thirty reprints in covers free of charge. Additional reprints may be ordered, at cost, when the proofs are returned.

The *Scottish Naturalist* is usually published three times a year. The standard annual subscription is £35.00, which should be sent to the Editors at the Library address. Members of recognised natural history organisations, however, can receive the *Scottish Naturalist* at a greatly reduced subscription; for details apply to the Editors.

PRESENTED
GENERAL LIBRARY

THE SCOTTISH NATURALIST

Founded 1871

A Journal of Scottish Natural History

With which is incorporated *The Annals of Scottish Natural History*
and *The Western Naturalist*

110th Year 1998

CONTENTS

1998 - Part 3

Vertebrate Zoology in the Scottish Naturalist
Part 2: 1871-1900
By Dr. J.A. Gibson 109-205

Title-Page and List of Contents 207-209

Published by The Scottish Natural History Library

EDITORS

J.A. Gibson
John Hamilton
John C. Smyth

All items for publication should be sent to the Editors at
The Scottish Natural History Library
Foremount House, Kilbarchan, Renfrewshire PA10 2EZ

ISSN 0268-3385

The *Scottish Naturalist* is the national journal of Scottish natural history. It was founded in 1871 by Dr. F. Buchanan White, of Perthshire, and in 1988 completed one hundred years of publication. The journal exists to provide a medium for the publication of original work on all aspects of Scottish natural science. All contributions, however, represent the personal opinions of the authors concerned, and do not necessarily reflect the views of the Editors of the *Scottish Naturalist.*

Published by

THE SCOTTISH NATURAL HISTORY LIBRARY

VERTEBRATE ZOOLOGY IN THE SCOTTISH NATURALIST

A Classified Index of all Contributions on Vertebrate Zoology in the *Scottish Naturalist* from its Commencement in 1871 to the end of the Year 2000

Part 2: 1871-1900

By J.A. GIBSON
Representative for Scotland,
Society for the History of Natural History

The *Scottish Naturalist* was founded by Dr. F. Buchanan White in 1871 as *The Scottish Naturalist and Journal of the Perthshire Society of Natural Science.* The name was shortened after the first year, so for all practical purposes the journal was called the *Scottish Naturalist* from 1871 to 1891, after which Dr. J.A. Harvie-Brown purchased the journal from the publishers and changed the name to the *Annals of Scottish Natural History* in 1892.

The first part of this survey of the contributions on vertebrate zoology - the Introduction - appeared in the *Scottish Naturalist* earlier this year (Gibson, 1998). As already indicated, this second part covers the first of the five 'quarter-century' sections of the journal, the thirty years from 1871 to 1900. The next four sections will each cover a straightforward quarter-century, from 1901 to 2000.

The *Annals of Scottish Natural History* was published four times a year from 1892 to 1911 (after which the name of *Scottish Naturalist* was restored), and was defined entirely by year, without any volume numbers. Previously, for the *Scottish Naturalist* from 1871 to 1891, several sets of volume numbers had been used.

These original volume numbers can be confusing for correct dating (Gibson, 1997) so, as previously advised, it is recommended that all references during the first one hundred years of the journal should be referred to only by year of publication, which avoids any confusion or ambiguity. All items in this section, therefore, are referenced by name of journal, year of publication, and pagination.

It is admitted that in a cumulative index such as this, where all entries are given in chronological order of publication, no confusion should arise even by using the early volume numbers, but it was considered better to establish, right at the start, the principle of replacing volume numbers with the simple unambiguous year of publication.

References

Gibson, J.A. (1997). Correct dating of the early years of the *Scottish Naturalist*, 1871 to 1891. *Scottish Naturalist,* **109**: 23-31.

Gibson, J.A. (1998). Vertebrate zoology in the *Scottish Naturalist*. Part 1: Introduction. *Scottish Naturalist,* **110**: 3-11.

1871-1900

Chronological List
Pages 111-193

Faunal Area Distribution
Pages 194-205

0001 **Gordon, G.** (1871). Squirrels. *Scottish Naturalist,* **1871**: 19.
Class: Mamm
Area: MO NW

0002 **Harker, J.A.** (1871). Note on the nidification of the Tree Sparrow. *Scottish Naturalist,* **1871**: 19-20.
Class: Bird
Area: Gen CL

0003 **Gray, R.** (1871). The Capercaillie. *Scottish Naturalist,* **1871**: 43-46.
Class: Bird
Area: Gen TA

0004 **Harvie-Brown, J.A.** (1871). The nidification of the Tree-Sparrow. *Scottish Naturalist,* **1871**: 46-47.
Class: Bird
Area: Gen

0005 **Gray, R.** (1871). The Glaucous Gull. *Scottish Naturalist,* **1871**: 47.
Class: Bird
Area: DE CS NW OH

0006 **Forbes, H.O.** (1871). Birds of the northwest of Aberdeenshire. *Scottish Naturalist,* **1871**: 47-48.
Class: Bird
Area: DE

0007 **Trail, J.W.H.** (1871). The Greenland Shark (*Scymnus borealis*). *Scottish Naturalist,* **1871**: 48-49.
Class: Fish
Area: DE

0008 **Editorial note.** (1871). Squirrels in the north of Scotland. *Scottish Naturalist,* **1871**: 49.
Class: Mamm
Area: TW TA MO

0009 **Editorial note.** (1871). Madness in animals. *Scottish Naturalist,* **1871**: 49-50.
Class: Mamm
Area: Gen

0010 **Editorial note.** (1871). The Peewit. *Scottish Naturalist,* **1871**: 50.
Class: Bird
Area: Gen

0011 **Walker, R.** (1871). Notes on some of the rare birds that have been obtained in the east of Fife during recent years. *Scottish Naturalist,* **1871**: 78-81.
Class: Bird
Area: FO TA

0012 **Harvie-Brown, J.A.** (1871). Extinction of rare birds. *Scottish Naturalist,* **1871**: 81-82.
Class: Bird
Area: Gen

0013 **Harvie-Brown, J.A.** (1871). Arrival of the Squirrel in Sutherland. *Scottish Naturalist,* **1871**: 82.
Class: Mamm
Area: CS

0014 **Gurney, J.H.** (1871). Note on the Capercaillie. *Scottish Naturalist,* **1871**: 82.
Class: Bird
Area: Gen TA AG

0015 **Garrow, J.** (1871). Birds of Aberdeenshire. *Scottish Naturalist,* **1871**: 82-83.
Class: Bird
Area: DE

0016 **Burnett, S.M.** (1871). Notes on certain Aberdeenshire birds. *Scottish Naturalist,* **1871**: 83-85.
Class: Bird
Area: DE

0017 **Walker, R.** (1871). The baleen or whale-bone whales (*Balaenoidea*) of the north-east of Scotland. *Scottish Naturalist,* **1871**: 102-111.
Class: Mamm
Area: TW FO TA DE MO CS OR SH

0018 **Paton, R.** (1871). Notes on the Tetraonidae of Perthshire. *Scottish Naturalist,* **1871**: 112-115.
Class: Bird
Area: TA MO

0019 **Walker, R.** (1872). On the Cachalot or Sperm Whale (*Physeter macrocephalus*) of the north east of Scotland. *Scottish Naturalist,* **1872**: 142-152.
Class: Mamm
Area: FO TA MO OR

0020 **Wedderburn, J.W.** (1872). List of birds found at Rosslyn and neighbourhood. *Scottish Naturalist,* **1872**: 152-154.
Class: Bird
Area: FO

0021 **Sim, G.** (1872). Rare birds in Aberdeenshire. *Scottish Naturalist,* **1872**: 154.
Class: Bird
Area: DE

0022 **Garrow, J.** (1872). The Bohemian Wax-wing in Aberdeenshire. *Scottish Naturalist,* **1872**: 154.
Class: Bird
Area: DE

0023 **Paton, R.** (1872). Wild Cats. *Scottish Naturalist,* **1872**: 155.
Class: Mamm
Area: MO

0024 **Herd, W.** (1872). A happy family. *Scottish Naturalist,* **1872**: 155.
Class: Mamm
Area: Gen TA

0025 **Wedderburn, J.W.** (1872). Corrections to list of birds found near Rosslyn. *Scottish Naturalist,* **1872**: 181.
Class: Bird
Area: FO

0026 **Doubleday, H.** (1872). Corrections to list of birds found near Rosslyn. *Scottish Naturalist,* **1872**: 181.
Class: Bird
Area: FO

0027 **Norman, G.** (1872). Corrections to list of birds found near Rosslyn. *Scottish Naturalist,* **1872**: 181.
Class: Bird
Area: FO

0028 **Norman, G.** (1872). Wild Cats. *Scottish Naturalist,* **1872**: 181-182.
Class: Mamm
Area: MO

0029 **Editoral note.** (1872). Wild Cats. *Scottish Naturalist,* **1872**: 182.
Class: Mamm
Area: MO

0030 **Norman, G.** (1872). Early singing of the Chaffinch. *Scottish Naturalist,* **1872**: 182.
Class: Bird
Area: Gen MO

0031 **Sim, G.** (1872). Rare birds in Fyvie. *Scottish Naturalist,* **1872**: 226.
Class: Bird
Area: DE

0032 **Scott, A.T.** (1872). Bohemian Waxwing in Fife. *Scottish Naturalist,* **1872**: 226.
Class: Bird
Area: FO

0033 **Sim, G.** (1872). Rare birds at Aberdeen. *Scottish Naturalist,* **1872**: 226.
Class: Bird
Area: DE

0034 **Robinson, W.D.** (1872). Early arrival of the Swallow. *Scottish Naturalist,* **1872**: 226.
Class: Bird
Area: Gen SO

0035 **McIntosh, W.C.** (1872). On the "yellow fins" of the Allan-Water. *Scottish Naturalist,* **1872**: 227-233.
Class: Fish
Area: FO TA AG

0036 **Drummond-Hay, H.M.** (1872). Domesticated Robins. *Scottish Naturalist,* **1872**: 268-269.
Class: Bird
Area: Gen TA

0037 **Gurney, J.H.** (1872). Note on the record in Gray's "Birds of the West of Scotland" of the occurrence of the Little Crake. *Scottish Naturalist,* **1872**: 269.
Class: Bird
Area: MO

0038 **Lumsden, J.** (1872). The Wood Warbler. *Scottish Naturalist,* **1872**: 269.
Class: Bird
Area: CL

0039 **Trail, J.W.H.** (1872). Albino Wild Duck (*Anas boschas*) [and Blackbird]. *Scottish Naturalist,* **1872**: 269.
Class: Bird
Area: TA DE

0040 **Walker, R.** (1873). On the occurrence of the Hooded Seal (*Cystophora cristata*) at St. Andrews. *Scottish Naturalist,* **1873**: 1-8.
Class: Mamm
Area: TA

0041 **Lumsden, J.** (1873). Late breeding of the Hedgehog in Scotland. *Scottish Naturalist,* **1873**: 8.
Class: Mamm
Area: Gen CL

0042 **Cameron, W.** (1873). Birds of Balquhidder. *Scottish Naturalist,* **1873**: 8-10.
Class: Bird
Area: TA

0043 **White, F.B.** (1873). Occurrence of the Golden Oriole (*Oriolus galbula*). *Scottish Naturalist,* **1873**: 10.
Class: Bird
Area: SO

0044 **Forbes, H.O.** (1873). Purple Heron (*Ardea purpurea* L.). *Scottish Naturalist,* **1873**: 10.
Class: Bird
Area: DE

0045 **Editoral note.** (1873). [Purple Heron shot in Haddingtonshire]. *Scottish Naturalist,* **1873**: 10.
Class: Bird
Area: FO

0046 **Lumsden, J.** (1873). Wood Sandpiper (*Totanus glareola*). *Scottish Naturalist,* **1873**: 10.
Class: Bird
Area: CL

0047 **Brotherston, A.** (1873). Turtle Dove. *Scottish Naturalist,* **1873**: 10-11.
Class: Bird
Area: TW

0048 **Trail, J.W.H.** (1873). Note on the presence of five toes on each leg of a Black-headed Gull (*Larus ridibundus*). *Scottish Naturalist,* **1873**: 11.
Class: Bird
Area: Gen DE

0049 **Walker, R.** (1873). On King Ducks (*Somateria spectabilis*) in St. Andrews Bay, &c. *Scottish Naturalist,* **1873**: 49-54.
Class: Bird
Area: TA

0050 **Lumsden, J.** (1873). Notes on the birds of the Bass Rock. *Scottish Naturalist,* **1873**: 54-56.
Class: Bird
Area: FO

0051 **Brotherston, A.** (1873). [Rare birds in Berwickshire and Roxburghshire]. *Scottish Naturalist,* **1873**: 57.
Class: Bird
Area: TW

0052 **Forbes, H.O.** (1873). Hybrid between a Black-cock and a Capercailzie. *Scottish Naturalist,* **1873**: 57.
Class: Bird
Area: DE

0053 **Fust, H.J.** (1873). Nesting of the Hedge Accentor (*Accentor modularis*) in the Outer Hebrides. *Scottish Naturalist,* **1873**: 57-58.
Class: Bird
Area: OH

0054 **Editorial note.** (1873). Eagle Owl in Perthshire. *Scottish Naturalist,* **1873**: 58.
Class: Bird
Area: TA

0055 **Walker, R.** (1873). On a Porpoise with intermediate teeth-like bodies, &c. *Scottish Naturalist,* **1873**: 145-149.
Class: Mamm
Area: Gen TA

0056 **Brotherston, A.** (1873). Notes from Kelso. *Scottish Naturalist,* **1873**: 155.
Class: Bird
Area: TW

0057 **McIntosh, W.C.** (1873). The Squirrel occasionally insectivorous. *Scottish Naturalist,* **1873**: 155.
Class: Mamm
Area: Gen TA

0058 **McIntosh, C.** (1873). White Blackbirds. *Scottish Naturalist,* **1873**: 155.
Class: Bird
Area: Gen TA

0059 **Stratton, C.** (1873). Long-eared Owl. *Scottish Naturalist,* **1873**: 155.
Class: Bird
Area: TA

0060 **Trail, J.W.H.** (1873). Occurrence of the *Echinorhynchus spinosus* on the Aberdeenshire coast. *Scottish Naturalist,* **1873**: 155-156.
Class: Fish
Area: DE

0061 **Sharp, D.** (1873). What is *Trichiurus lepturus* Hoy? *Scottish Naturalist,* **1873**: 156.
Class: Fish
Area: Gen

0062 **McIntosh, W.C.** (1873). Note on the examination of a male Kelt. *Scottish Naturalist,* **1873**: 156-158.
Class: Fish
Area: TA

0063 **Walker, R.** (1874). On the occurrence of the Bonito (*Thynnus pelamys*) near St. Andrews, with some remarks on the Scombridae. *Scottish Naturalist,* **1874**: 193-196.
Class: Fish
Area: CL FO TA

0064 **Sim, G.** (1874). Occurrence of the Little Bustard (*Otis tetrax* Lin.) in Aberdeenshire. *Scottish Naturalist,* **1874**: 204.
Class: Bird
Area: TA DE

0065 **Lumsden, J.** (1874). Variety of Rook (*Corvus frugilegus*). *Scottish Naturalist,* **1874**: 204.
Class: Bird
Area: Gen TA

0066 **Brotherston, A.** (1874). Osprey (*Pandion haliaëtus*). *Scottish Naturalist,* **1874**: 205.
Class: Bird
Area: TW

0067 **Brotherston, A.** (1874). Variety of Hedge-Sparow. *Scottish Naturalist,* **1874**: 205.
Class: Bird
Area: Gen TW

0068 **Brotherston, A.** (1874). Spotted Crake. *Scottish Naturalist,* **1874**: 205.
Class: Bird
Area: TW

0069 **Editorial note.** (1874). The Squirrel in Scotland. *Scottish Naturalist,* **1874**: 209.
Class: Mamm
Area: MO

0070 **Editorial note.** (1874). [Old natural history notes from Scotland]. *Scottish Naturalist,* **1874**: 209.
Class: Mamm Bird
Area: Gen SO TW CL FO TA MO CS NW AG

0071 **Sim, G.** (1874). Honey Buzzard (*Pernis apivorus*). *Scottish Naturalist,* **1874**: 277.
Class: Bird
Area: DE

0072 **Sim, G.** (1874). Green Woodpecker (*Picus viridis*). *Scottish Naturalist,* **1874**: 277.
Class: Bird
Area: DE

0073 **Stevenson, J.** (1874). The Landrail in January. *Scottish Naturalist,* **1874**: 277.
Class: Bird
Area: Gen TA

0074 **Sim, G.** (1874). The food and use of our rapacious birds. *Scottish Naturalist,* **1874**: 288--296.
Class: Bird
Area: Gen

0075 **Brotherston, A.** (1874). Turtle Dove (*Columba turtur*). *Scottish Naturalist,* **1874**: 299.
Class: Bird
Area: TW

0076 **Brotherston, A.** (1874). Egyptian Goose (*Anser egyptiacus*). *Scottish Naturalist,* **1874**: 300.
Class: Bird
Area: TW

0077 **Walker, R.** (1874). On the Salmonidae of the Eden, Fife; with remarks on their condition in other rivers. *Scottish Naturalist,* **1874**: 337-346.
Class: Fish
Area: SO TW CL FO TA

0078 **Drummond-Hay, H.M.** (1874). Occurrence of rare birds in the Carse of Gowrie. *Scottish Naturalist,* **1874**: 360.
Class: Bird
Area: TA

0079 **Lindsay, W.L.** (1875-76). Illustrations of animal reason. *Scottish Naturalist,* **1875**: 1-8, 57-64, 96-104, 137-148; **1876**: 212-218, 241-249, 289-299, 329-337.
Class: Mamm Bird
Area: Gen

0080 **Sim, G.** (1875). Ivory Gulls at Aberdeen. *Scottish Naturalist,* **1875**: 8-9.
Class: Bird
Area: DE

0081 **Sim, G.** (1875). Little Gull. *Scottish Naturalist,* **1875**: 64.
Class: Bird
Area: DE

0082 **Wardrop, J.** (1875-76). Animal psychosis. *Scottish Naturalist,* **1875**: 89-96, 149-153; **1876:** 204-212, 250-254.
Class: Mamm
Area: Gen

0083 **Sim, G.** (1875). Turtle Dove in Aberdeenshire. *Scottish Naturalist,* **1875**: 112.
Class: Bird
Area: DE

0084 **Walker, R.** (1875). On the Grey Seal, *Halichoerus grypus*, on the east coast of Scotland. *Scottish Naturalist,* **1875**: 154-160.
Class: Mamm
Area: FO TA CS OR SH

0085 **Murdoch, A.** (1876). Common Swallow (*Hirundo rustica*). *Scottish Naturalist,* **1876**: 218.
Class: Bird
Area: Gen CL

0086 **Lumsden, J.** (1876). Notes on the distribution of the Common Jay in Scotland. *Scottish Naturalist,* **1876**: 233-240.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG SH

0087 **Sim, G.** (1876). Goshawk and other rare birds in Aberdeenshire [and Orkney]. *Scottish Naturalist,* **1876**: 265.
Class: Bird
Area: DE OR

0088 **Japp, W.** (1876). Story of a pigeon. *Scottish Naturalist,* **1876**: 266.
Class: Bird
Area: Gen TA

0089 **Wardrop, J.** (1876-77). Further remarks on animal psychosis. *Scottish Naturalist,* **1876**: 281-289; **1877:** 1-9.
Class: Mamm
Area: Gen

0090 **Editorial note.** (1876). [Zoological miscellanea from the Tweed area]. *Scottish Naturalist,* **1876**: 307-316.
Class: Mamm Bird
Area: TW

0091 **Douglas, W.D.R.** (1876). Note on the Woodcock. *Scottish Naturalist,* **1876**: 337.
Class: Bird
Area: SO

0092 **Harvie-Brown, J.A.** (1876). Velvet Scoters in Scotland in summer. *Scottish Naturalist,* **1876**: 348.
Class: Bird
Area: FO TA AG IH

0093 **Sim, G.** (1876). The Tunny (*Scomber thynnus* Linn.). *Scottish Naturalist,* **1876**: 348.
Class: Fish
Area: TA DE

0094 **Trail, J.W.H.** (1877). Bird names in Orkney. *Scottish Naturalist,* **1877**: 9-10.
Class: Bird Amph
Area: Gen OR

0095 **Trail, J.W.H.** (1877). On the occurrence of *Picus major* Lin. (Greater Spotted Woodpecker) in Aberdeenshire, and its habits and food. *Scottish Naturalist,* **1877**: 10.
Class: Bird
Area: DE

0096 **Herdman, W.** (1877). Migration of the Starling. *Scottish Naturalist,* **1877**: 10.
Class: Bird
Area: TA

0097 **Herdman, W.** (1877). Kites. *Scottish Naturalist,* **1877**: 10.
Class: Bird
Area: TA

0098 **Drummond-Hay, H.M.** (1877). On the occurrence of *Porphyrio smaragdonotus* Temm. *Scottish Naturalist,* **1877**: 37-38.
Class: Bird
Area: TA

0099 **McIntosh, W.C.** (1877). Note on the Kestrel. *Scottish Naturalist,* **1877**: 46-47.
Class: Bird
Area: TA

0100 **Harvie-Brown, J.A.** (1877). Prevention of the extermination of rare birds. *Scottish Naturalist,* **1877**: 47-48.
Class: Bird
Area: Gen

0101 **Drummond-Hay, H.M.** (1877-78). On migration. *Scottish Naturalist,* **1877**: 85-99, 133-144; **1878**: 229-241, 283-292.
Class: Mamm Bird Fish
Area: Gen

0102 **Gurney, J.H.** (1877). Waste of life at St. Abb's Head. *Scottish Naturalist,* **1877**: 116.
Class: Bird
Area: Gen TW

0103 **Herdman, W.** (1877). Extermination of rare animals. *Scottish Naturalist,* **1877**: 116.
Class: Bird
Area: Gen TA

0104 **McAndrew, J.** (1877). *Mustela erminea. Scottish Naturalist,* **1877**: 160.
Class: Mamm
Area: SO

0105 **White, F.B.** (1878). Glen Tilt: its fauna and flora. *Scottish Naturalist,* **1878**: 181-190, 244-248, 300-304.
Class: Mamm Bird Rept Amph
Area: TA

0106 **Gurney, J.H.** (1878). Anecdote of the Manx Puffin of the Dardanelles. *Scottish Naturalist,* **1878**: 198-199.
Class: Bird
Area: Gen

0107 **Harvie-Brown, J.A.** (1878). Capercaillie. *Scottish Naturalist,* **1878**: 199.
Class: Bird
Area: Gen TA

0108 **Gurney, J.H.** (1878). Short-sighted policy. *Scottish Naturalist,* **1878**: 249.
Class: Bird
Area: Gen CL TA MO

0109 **Harvie-Brown, J.A.** (1878). Guillemots colliding. *Scottish Naturalist,* **1878**: 249.
Class: Bird
Area: Gen AG IH

0110 **Thompson, D.W.** (1878). The birds of the south-east of Scotland. *Scottish Naturalist,* **1878**: 277-282, 325-332.
Class: Bird
Area: TW FO TA DE

0111 **Gurney, J.H.** (1878). Dead Wood-Pigeons. *Scottish Naturalist,* **1878**: 292.
Class: Bird
Area: Gen

0112 **Brotherston, A.** (1878). Birds of the south-east of Scotland. *Scottish Naturalist,* **1878**: 332-333.
Class: Bird
Area: TW

0113 **Drummond-Hay, H.M.** (1878). Notice of the Wryneck (*Yunx torquilla*) being found in Perthshire. *Scottish Naturalist,* **1878**: 333.
Class: Bird
Area: TA

0114 **Sim, G.** (1879). Esquimaux Curlew. *Scottish Naturalist,* **1879**: 36.
Class: Bird
Area: DE

0115 **Brooke, A.B.** (1879). Stock-Dove (*Columba anas*) breeding in Scotland. *Scottish Naturalist,* **1879**: 36-37.
Class: Bird
Area: TA

0116 **Harker, A.** (1879). Birds'-nesting. *Scottish Naturalist,* **1879**: 49-56.
Class: Bird
Area: Gen

0117 **Drummond-Hay, H.M.** (1879-80-81). Notes on the birds of the basin of the Tay and its tributaries. *Scottish Naturalist,* **1879**: 56-62, 105-115; **1880:** 241-255, 295-309, 337-346; **1881:** 4-12.
Class: Bird
Area: TA

0118 **Brotherston, A.** (1879). First occurrence of White's Thrush (*Turdus varius*, Pallas = *T. Whitei*, Eyton) in Scotland. *Scottish Naturalist,* **1879**: 78-79.
Class: Bird
Area: TW

0119 **Brotherston, A.** (1879). Notes on the effects of the past winter in the south-east of Scotland. *Scottish Naturalist,* **1879**: 81-84.
Class: Mamm Bird
Area: TW

0120 **Sim, G.** (1879). The effect of the late storm on our wild animals in the north-east of Scotland. *Scottish Naturalist,* **1879**: 84.
Class: Mamm Bird
Area: DE

0121 **White, F.B.** (1879). Notes of the spring of 1879. *Scottish Naturalist,* **1879**: 132-135.
Class: Mamm Bird
Area: TA

0122 **Douglas, D.** (1880). Iceland Falcon in Mid-Lothian. *Scottish Naturalist,* **1880**: 203.
Class: Bird
Area: FO

0123 **Marshall, T.** (1880). Notes on birds that have occurred near Stanley, Perthshire. *Scottish Naturalist,* **1880**: 255-261.
Class: Bird
Area: TA

0124 **Harvie-Brown, J.A.** (1880). The Capercaillie in Scotland. *Scottish Naturalist,* **1880**: 289-294.
Class: Bird
Area: Gen CL FO TA DE MO CS

0125 **White, F.B.** (1880). The migration of birds. *Scottish Naturalist,* **1880**: 309-310.
Class: Bird
Area: Gen

0126 **Traill, W.** (1880). Boldness of the Common Tern. *Scottish Naturalist,* **1880**: 346.
Class: Bird
Area: Gen OR

0127 **Campbell, J.M.** (1881). On the occurrence of the White-beaked Dolphin (*Lagenorhynchus albirostris*, Gray), on the east coast of Scotland. *Scottish Naturalist,* **1881**: 1-4.
Class: Mamm
Area: TA

0128 **Sim, G.** (1881). Occurrence of rare birds. *Scottish Naturalist,* **1881**: 13.
Class: Bird
Area: DE SH

0129 **Sim, G.** (1881). Lesser Whitethroat in Fyvie. *Scottish Naturalist,* **1881**: 13.
Class: Bird
Area: DE

0130 **Moncreiffe, T.J.H.** (1881). A curious bird. *Scottish Naturalist,* **1881**: 13.
Class: Bird
Area: Gen TA

0131 **White, F.B.** (1881). The Mammalia of Scotland. *Scottish Naturalist,* **1881**: 49-56.
Class: Mamm
Area: Gen

0132 **Japp, W.** (1881). Story of a Dog. *Scottish Naturalist,* **1881**: 59-60.
Class: Mamm
Area: Gen

0133 **Harvie-Brown, J.A.** (1881). The Capercaillie in Scotland. *Scottish Naturalist,* **1881**: 60-61.
Class: Bird
Area: Gen

0134 **White, F.B.** (1881). Effects of the winter of 1880-81. *Scottish Naturalist,* **1881**: 61.
Class: Mamm Bird
Area: Gen

0135 **Sim, G.** (1881). The Woodlark. *Scottish Naturalist,* **1881**: 61.
Class: Bird
Area: DE

0136 **Graham, W.** (1881). Notes on the past winter. *Scottish Naturalist,* **1881**: 141-142.
Class: Bird
Area: Gen TA

0137 **Harvie-Brown, J.A.** (1882). On the occurrence in Scotland of the Blue-throated Warbler. *Scottish Naturalist,* **1882**: 203-206.
Class: Bird
Area: FO

0138 **Drummond-Hay, H.M.** (1882). Storm Petrels found in Perthshire. *Scottish Naturalist,* **1882**: 206-209.
Class: Bird
Area: TA

0139 **Gordon, G.** (1882). "The victor overthrown"?. *Scottish Naturalist,* **1882**: 288.
Class: Bird Fish
Area: SH

0140 **Edwards, T.** (1883). Rat and mouse. *Scottish Naturalist,* **1883**: 54-55.
Class: Mamm
Area: Gen MO

0141 **Sim, G.** (1883). Occurrence of rare fishes at Aberdeen. *Scottish Naturalist,* **1883**: 55-57.
Class: Fish
Area: DE

0142 **Plowright, C.B.** (1884). The Squirrel as a fungus-eating animal. *Scottish Naturalist,* **1884**: 105.
Class: Mamm
Area: Gen TA

0143 **Barty, T.** (1884). The Angel Fish, or Monk Fish, in Loch Ryan. *Scottish Naturalist,* **1884**: 106.
Class: Fish
Area: SO

0144 **Smail, J.** (1884). On the food of Rooks. *Scottish Naturalist,* **1884**: 163-167.
Class: Bird
Area: Gen TW

0145 **Sim, G.** (1884). Rare birds in Aberdeenshire. *Scottish Naturalist,* **1884**: 167.
Class: Bird
Area: DE

0146 **Sim, G.** (1884). Occurrence of Bank's Oar-Fish (*Regalecus banksii*) on the Aberdeenshire coast. *Scottish Naturalist,* **1884**: 168.
Class: Fish
Area: DE

0147 **Editorial note.** (1884). Rare Cetacea on the Scottish coasts in 1884. *Scottish Naturalist,* **1884**: 200.
Class: Mamm
Area: TA DE CS

0148 **Editorial note.** (1884). Birds as enemies to turnip crops. *Scottish Naturalist,* **1884**: 200-201.
Class: Bird
Area: Gen DE

0149 **Roy, T.** (1884). On finding an egg with a stone in it. *Scottish Naturalist,* **1884**: 201.
Class: Bird
Area: Gen DE

0150 **Sim, G.** (1885). Zoological notes from Aberdeen. *Scottish Naturalist,* **1885**: 10.
Class: Bird Fish
Area: DE

0151 **White, F.B.** (1886). On the better utilisation of the Sprats of the Tay and Forth. *Scottish Naturalist,* **1886**: 216-218.
Class: Fish
Area: FO TA

0152 **Drummond-Hay, H.M.** (1886). Occurrence of the Red-shouldered Starling in Rannoch, Perthshire. *Scottish Naturalist,* **1886**: 307-308.
Class: Bird
Area: TA

0153 **Sim, G.** (1886). Tengmalm's Owl (*Noctua tengmalmi*). *Scottish Naturalist,* **1886**: 308.
Class: Bird
Area: DE

0154 **Drummond-Hay, H.M.** (1886-87). Report on the ornithology of the east of Scotland, from Fife to Aberdeenshire inclusive; with additional remarks. *Scottish Naturalist,* **1886**: 355-380; **1887**: 18-19.
Class: Bird
Area: FO TA DE

0155 **Howden, J.C.** (1887). Report on the fishes of the north-east of Scotland. *Scottish Naturalist,* **1887**: 4-18.
Class: Fish
Area: FO TA DE MO

0156 **Maxwell, W.J.** (1887). The destruction of beasts and birds of prey. *Scottish Naturalist,* **1887**: 102-105.
Class: Mamm Bird
Area: Gen

0157 **Simpson, A.N.** (1887). Rooks. *Scottish Naturalist,* **1887**: 105.
Class: Bird
Area: Gen TA

0158 **Editorial note.** (1887). [Three Rooks occupying one nest]. *Scottish Naturalist,* **1887**: 105.
Class: Bird
Area: Gen SO

0159 **Trail, J.W.H.** (1887). Swift attacked on the wing by a Sparrow. *Scottish Naturalist,* **1887**: 105.
Class: Bird
Area: Gen DE

0160 **Kerr, R.N.** (1887). Notes on the Dipper, Water Ouzel, or Water Crow (*Cinclus aquaticus*). *Scottish Naturalist,* **1887**: 159-162.
Class: Bird
Area: Gen TW CL FO TA

0161 **Wilson, W.** (1887). On *Columba livia* in central Aberdeenshire. *Scottish Naturalist,* **1887**: 163-165.
Class: Bird
Area: DE

0162 **Sim, G.** (1887). Zoological notes from Fyvie. *Scottish Naturalist,* **1887**: 179.
Class: Bird
Area: DE

0163 **Simpson, A.N.** (1888). The ornithology of Arbroath. *Scottish Naturalist,* **1888**: 289-296, 337-344.
Class: Bird
Area: TA

0164 **Simpson, A.N.** (1888). Ornithological notes. *Scottish Naturalist,* **1888**: 297.
Class: Bird
Area: Gen TA

0165 **Editorial note.** (1888). [Possible mating of Blackbird and Song Thrush]. *Scottish Naturalist,* **1888**: 297.
Class: Bird
Area: Gen TA

0166 **Sim, G.** (1888). Pallas' Sand Grouse (*Syrrhaptes paradoxus*). *Scottish Naturalist,* **1888**: 297.
Class: Bird
Area: DE

0167 **Editorial note.** (1888). [Immigration of Pallas' Sand Grouse]. *Scottish Naturalist,* **1888**: 297.
Class: Bird
Area: Gen DE

0168 **Trail, J.W.H.** (1888). Ring-Ouzel (*Turdus turquatus* L.) in Orkney *Scottish Naturalist,* **1888**: 344.
Class: Bird
Area: OR

0169 **Drummond-Hay, H.M.** (1888). Additional notes on the report of the ornithology of the east of Scotland from Fife to Aberdeenshire, inclusive, (1885). *Scottish Naturalist,* **1888**: 345-350.
Class: Bird
Area: FO TA DE

0170 **Marshall, E.S.** (1889). Occurrence of Frogs at high levels. *Scottish Naturalist,* **1889**: 96.
Class: Amph
Area: Gen TA

0171 **Editorial note.** (1889). [A possibly distinct species of Frog occurring at high levels]. *Scottish Naturalist,* **1889**: 96.
Class: Amph
Area: Gen DE

0172 **Mathews, J.D.** (1889). Reed Bunting in Aberdeenshire. *Scottish Naturalist,* **1889:** 98.
Class: Bird
Area: DE

0173 **Trail, J.W.H.** (1889). [Reed Bunting in Aberdeenshire: correction to previous report]. *Scottish Naturalist,* **1889:** 98.
Class: Bird
Area: DE

0174 **Editorial note.** (1890). *Lichia vadigo* Risso, taken near Skye. *Scottish Naturalist,* **1890**: 262.
Class: Fish
Area: NW IH

0175 **Harvie-Brown, J.A.** (1891). The Common Seal in fresh-water streams and lochs of Scotland. *Scottish Naturalist,* **1891**: 1-5.
Class: Mamm
Area: CL NW AG

0176 **Evans, W.** (1891). List of birds observed in the valley of the Spey during August and part of September, 1889. *Scottish Naturalist,* **1891**: 5-18.
Class: Bird
Area: MO

0177 **Raeburn, H.** (1891). The Great Skua (*Stercorarius catarrhactes*); its present status as a British bird. *Scottish Naturalist,* **1891**: 18-20.
Class: Bird
Area: SH

0178 **Cooke, C.** (1891). Badger in Lanarkshire. *Scottish Naturalist,* **1891**: 36.
Class: Mamm
Area: CL

0179 **Clarke, W.E.** (1891). The haunts of the Lesser Shrew (*Sorex minutus*). *Scottish Naturalist,* **1891**: 36.
Class: Mamm
Area: FO

0180 **Clarke, W.E.** (1891). Black and Alexandrine Rats at Leith. *Scottish Naturalist,* **1891**: 36.
Class: Mamm
Area: FO

0181 **Clarke, W.E.** (1891). The Reed Warbler, Lesser Whitethroat, Marsh Titmouse, and Woodpeckers, as Scottish birds. *Scottish Naturalist,* **1891**: 36-37.
Class: Bird
Area: Gen

0182 **Buckley, T.E.** (1891). Woodcocks in Sutherland. *Scottish Naturalist,* **1891**: 37-38.
Class: Bird
Area: CS

0183 **Lumsden, J.** (1891). Hybrid between Pheasant and Capercailzie. *Scottish Naturalist,* **1891**: 38-39.
Class: Bird
Area: Gen CL

0184 **Editorial note.** (1891). Hybrid between Pheasant and Capercailzie. *Scottish Naturalist,* **1891**: 39.
Class: Bird
Area: Gen CL

0185 **Read, R.H.** (1891). Curious site for Ring Dove's nest. *Scottish Naturalist,* **1891**: 39.
Class: Bird
Area: Gen CL

0186 **Read, R.H.** (1891). Early nesting of the Teal. *Scottish Naturalist,* **1891**: 39.
Class: Bird
Area: Gen CL

0187 **Read, R.H.** (1891). Scaup inland near Glasgow. *Scottish Naturalist,* **1891**: 39-40.
Class: Bird
Area: Gen CL

0188 **Evans, W.** (1891). Black Tern in the Firth of Forth. *Scottish Naturalist,* **1891**: 40.
Class: Bird
Area: FO

0189 **Evans, W.** (1891). Hoopoe in East Lothian. *Scottish Naturalist,* **1891**: 40.
Class: Bird
Area: FO

0190 **Clarke, W.E.** (1891). Opah and Sun-Fish in the Forth. *Scottish Naturalist,* **1891**: 40.
Class: Fish
Area: FO

0191 **Editorial note.** (1891). Wild Cat in Shetland. *Scottish Naturalist,* **1891**: 42.
Class: Mamm
Area: SH

0192 **Editorial note.** (1891). A Seal in the Clyde. *Scottish Naturalist,* **1891**: 43.
Class: Mamm
Area: CL

0193 **Editorial note.** (1891). Increase of Redstarts in west Scotland. *Scottish Naturalist,* **1891**: 43.
Class: Bird
Area: AG

0194 **Editorial note.** (1891). Buffon's Skua on the Solway. *Scottish Naturalist,* **1891**: 43.
Class: Bird
Area: SO

0195 **Editorial note.** (1891). Baltimore Oriole in Shetland. *Scottish Naturalist,* **1891**: 43.
Class: Bird
Area: SH

0196 **Muirhead, G.** (1891). Notes on birds in the parishes of Methlick, and Tarves, Aberdeenshire. *Scottish Naturalist,* **1891**: 54-60.
Class: Bird
Area: DE

0197 **Macpherson, H.A.** (1891). The Great Grey Shrike (*Lanius excubitor*), considered as a Scottish bird. *Scottish Naturalist,* **1891**: 60-67.
Class: Bird
Area: Gen SO TW CL FO TA DE MO CS NW AG IH OH OR SH

0198 **Drummond-Hay, H.M.** (1891). Some notes on birds recently observed in the Tay district. *Scottish Naturalist,* **1891**: 67-70.
Class: Bird
Area: TA

0199 **Editorial note.** (1891). The Zoological Society and the preservation of the Great Skua. *Scottish Naturalist,* **1891**: 70.
Class: Bird
Area: SH

0200 **Maxwell, H.** (1891). Notes on the Badger. *Scottish Naturalist,* **1891**: 92.
Class: Mamm
Area: SO

0201 **Editorial note.** (1891). Wild Cat in Shetland. *Scottish Naturalist,* **1891**: 92.
Class: Mamm
Area: SH

0202 **Clarke, W.E.** (1891). Daubenton's Bat in Mid-Lothian. *Scottish Naturalist,* **1891**: 92.
Class: Mamm
Area: FO

0203 **Craig, A.** (1891). Chiff-Chaff in Inverness-shire *Scottish Naturalist,* **1891**: 92.
Class: Bird
Area: MO

0204 **Gurney, J.H.** (1891). Lesser Redpoll in Perthshire. *Scottish Naturalist,* **1891**: 92-93.
Class: Bird
Area: TA

0205 **Evans, W.** (1891). An undomed nest of the Long-tailed Tit *Scottish Naturalist,* **1891**: 93.
Class: Bird
Area: Gen FO

0206 **Evans, W.** (1891). Bittern (*Botaurus stellaris*) in Berwickshire. *Scottish Naturalist,* **1891**: 93.
Class: Bird
Area: TW

0207 **Raeburn, H.** (1891). Little Bittern in Shetland. *Scottish Naturalist,* **1891**: 93.
Class: Bird
Area: SH

0208 **Lumsden, J.** (1891). Bewick's Swan on Loch Lomond. *Scottish Naturalist,* **1891**: 93-94.
Class: Bird
Area: CL

0209 **Gordon G.** (1891). Hybrid Pheasant and Capercaillie. *Scottish Naturalist,* **1891**: 94.
Class: Bird
Area: Gen MO

0210 **Maclaine of Lochbuie.** (1891). Land-Rail in Mull and Jura in winter. *Scottish Naturalist,* **1891**: 94.
Class: Bird
Area: Gen AG IH

0211 **Dalgleish, J.J.** (1891). Sabine's Snipe in Clackmannanshire. *Scottish Naturalist,* **1891**: 94.
Class: Bird
Area: FO

0212 **Editorial note.** (1891). Incident in the life of a Dunlin. *Scottish Naturalist,* **1891**: 94.
Class: Bird
Area: Gen

0213 **Sim, G.** (1891). Buffon's Skua in Aberdeenshire. *Scottish Naturalist,* **1891**: 94.
Class: Bird
Area: DE

0214 **Christy, C.** (1891). Eared Grebe on the Firth of Forth. *Scottish Naturalist,* **1891**: 94-95.
Class: Bird
Area: FO

0215 **Macpherson, H.A.** (1891). Wildfowl in Scottish Solway faunal area. *Scottish Naturalist,* **1891**: 95.
Class: Bird
Area: SO

0216 **Service, R.** (1891). Bird notes from the Solway district. *Scottish Naturalist,* **1891**: 95.
Class: Bird
Area: SO

0217 **Service, R.** (1891). Anchovy [in stomach of Black-throated Diver] in the Solway Firth. *Scottish Naturalist,* **1891**: 95-96.
Class: Bird Fish
Area: SO

0218 **Service, R.** (1891). The old fur market of Dumfries. *Scottish Naturalist,* **1891**: 97-102.
Class: Mamm
Area: Gen SO TW CL

0219 **Evans, A.H.** (1891). A preliminary list of the birds of the Melrose district. *Scottish Naturalist,* **1891**: 103-113, 147-163.
Class: Bird
Area: TW

0220 **Brown, A.** (1891). The fishes of Loch Lomond and its tributaries. *Scottish Naturalist,* **1891**: 114-124.
Class: Fish
Area: CL

0221 **Leslie, G.** (1891). Abundance of thrushes in Scotland. *Scottish Naturalist,* **1891**: 141-142.
Class: Bird
Area: FO DE

0222 **Clarke, W.E.** (1891). On the occurrence of the Siberian White Crane (*Grus leucogeranus*) in the Outer Hebrides. *Scottish Naturalist,* **1891**: 145-146.
Class: Bird
Area: OH

0223 **Duthie, W.H.M.** (1891). List of birds that breed on or near the shores of a moorland loch in Perthshire. *Scottish Naturalist,* **1891**: 164-167.
Class: Bird
Area: TA

0224 **Evans, W.** (1891). Daubenton's Bat (*Vespertilio daubentoni*) in Elginshire. *Scottish Naturalist,* **1891**: 190.
Class: Mamm
Area: MO

0225 **Campbell, B.** (1891). The recent introduction of the Badger into Linlithgowshire. *Scottish Naturalist,* **1891**: 190-191.
Class: Mamm
Area: FO

0226 **Macpherson, H.A.** (1891). Italian ratcatchers in Scotland in the 17th century. *Scottish Naturalist,* **1891**: 191.
Class: Mamm
Area: Gen

0227 **Service, R.** (1891). Variety of the white Mole. *Scottish Naturalist,* **1891**: 191.
Class: Mamm
Area: Gen SO

0228 **Maxwell, H.** (1891). The Nut-cracker in Wigtownshire. *Scottish Naturalist,* **1891**: 191.
Class: Bird
Area: SO

0229 **Sim, G.** (1891). Hoopoe in Fyvie. *Scottish Naturalist,* **1891**: 192.
Class: Bird
Area: DE

0230 **Sim, G.** (1891). Scops Owl in Aberdeenshire. *Scottish Naturalist,* **1891**: 192.
Class: Bird
Area: DE

0231 **Service, R.** (1891). A late Scaup in the Solway. *Scottish Naturalist,* **1891**: 192.
Class: Bird
Area: SO

0232 **Service, R.** (1891). Sand-Grouse in Kirkcudbrightshire. *Scottish Naturalist,* **1891**: 192.
Class: Bird
Area: SO

0233 **Clarke, W.E.** (1891). The American Red-breasted Snipe in Argyllshire. *Scottish Naturalist,* **1891**: 192.
Class: Bird
Area: CL AG

0234 **Service, R.** (1891). The Gar-Pike in the Solway. *Scottish Naturalist,* **1891**: 192.
Class: Fish
Area: SO

0235 **Harvie-Brown, J.A.** (1892). The Great Spotted Woodpecker (*Picus major*) in Scotland. *Annals of Scottish Natural History,* **1892**: 4-17.
Class: Mamm Bird
Area: Gen SO TW CL FO TA DE MO CS NW AG

0236 **Evans, H.** (1892). On the occurrence of Wilson's Petrel (*Oceanites oceanica*, Kuhl) in Jura. *Annals of Scottish Natural History,* **1892**: 18.
Class: Bird
Area: AG IH

0237 **Clarke, W.E.** (1892). [First known occurrence of Wilson's Petrel in Scotland]. *Annals of Scottish Natural History,* **1892**: 18.
Class: Bird
Area: Gen AG IH

0238 **Service, R.** (1892). Freshwater fishes of the Solway area. *Annals of Scottish Natural History,* **1892**: 18-25.
Class: Fish
Area: SO

0239 **Young, M. and Clarke, W.E.** (1892). On *Anarrhichas minor*, Olafsen, and its occurrence on the Aberdeenshire coast. *Annals of Scottish Natural History,* **1892**: 26-29.
Class: Fish
Area: DE

0240 **Traquair, R.H.** (1892). Note on an abnormally developed Thornback (*Raia clavata*, L.). *Annals of Scottish Natural History,* **1892**: 29-30.
Class: Fish
Area: Gen FO

0241 **Traquair, R.H.** (1892). List of the type and figured specimens in the "Powrie Collection" of fossils. *Annals of Scottish Natural History,* **1892**: 31-39.
Class: Rept Fish
Area: Gen TA MO

0242 **Berry, W.** (1892). Lesser Shrew (*Sorex minutus*, L.) in Fife. *Annals of Scottish Natural History,* **1892**: 69.
Class: Mamm
Area: TA

0243 **Service, R.** (1892). Polecat (*Mustela putorius*, L.) in Dumfriesshire. *Annals of Scottish Natural History,* **1892**: 69-70.
Class: Mamm
Area: SO

0244 **Buckley, T.E.** (1892). The Blue-throated Warbler (*Cyanecula suecica*, L.) in Orkney. *Annals of Scottish Natural History,* **1892**: 70.
Class: Bird
Area: OR

0245 **Serle, W.** (1892). Jay (*Garrulus glandarius*, L.) in the Botanic Gardens, Edinburgh. *Annals of Scottish Natural History,* **1892**: 70.
Class: Bird
Area: FO

0246 **Evans, W.** (1892). Wrynecks (*Iynx torquilla*, L.) on the east coast of Scotland. *Annals of Scottish Natural History,* **1892**: 70-71.
Class: Bird
Area: FO CS OR

0247 **Argyll, Duke of** (1892). Snowy Owl (*Nyctea scandiaca*, L.) in Argyllshire. *Annals of Scottish Natural History,* **1892**: 71.
Class: Bird
Area: CL AG

0248 **Harvie-Brown, J.A.** (1892). Spotted Crake (*Porzana maruetta*, Leach.) in Shetland. *Annals of Scottish Natural History*, **1892**: 71.
Class: Bird
Area: SH

0249 **Clarke, W.E.** (1892). The reported occurrence of *Grus leucogeranus*, Pallas, in the Outer Hebrides. *Annals of Scottish Natural History*, **1892**: 71-72.
Class: Bird
Area: OH

0250 **Skirving, R.S.** (1892). The Gray Phalarope (*Phalaropus fulicarius*, L.) in Islay. *Annals of Scottish Natural History*, **1892**: 72.
Class: Bird
Area: CL AG IH

0251 **Evans, H.** (1892). Gray Phalarope (*Phalaropus fulicarius*, L.) in Jura. *Annals of Scottish Natural History* , **1892**: 72.
Class: Bird
Area: AG IH

0252 **Service, R.** (1892). Gray Phalarope (*Phalaropus fulicarius*, L.) in S.W. Scotland. *Annals of Scottish Natural History*, **1892**: 72-73.
Class: Bird
Area: SO

0253 **Campbell-Orde, J.W.P.** (1892). The nesting of the Woodcock (*Scolopax rusticula*, L.) in North Uist. *Annals of Scottish Natural History*, **1892**: 73.
Class: Bird
Area: OH

0254 **Peace, T.S.** (1892). Ruff (*Machetes pugnax*, L.) in Orkney. *Annals of Scottish Natural History*, **1892**: 73.
Class: Bird
Area: OR

0255 **Service, R.** (1892). Buffon's Skua (*Stercorarius parasiticus*, L.) in the Solway district. *Annals of Scottish Natural History*, **1892**: 73-74.
Class: Bird
Area: SO CL

0256 **Macpherson, H.A.** (1892). Buffon's Skua (*Stercorarius parasiticus*, L.) in the Scottish Solway area. *Annals of Scottish Natural History*, **1892**: 74.
Class: Bird
Area: SO

0257 **Harvie-Brown, J.A.** (1892). Great Shearwater (*Puffinus major*, Faber) in Tiree. *Annals of Scottish Natural History*, **1892**: 74.
Class: Bird
Area: AG IH

0258 **Evans, W.** (1892). Unusual numbers of the Fork-tailed Petrel (*Cymochorea leucorrhoa*, Vieill) on the Scottish coasts. *Annals of Scottish Natural History*, **1892**: 74-76.
Class: Bird
Area: SO TW CL FO TA NW AG IH

0259 **Sim, G.** (1892). Occurrence of *Triglops murrayi*, Günther, on the east coast of Scotland. *Annals of Scottish Natural History*, **1892**: 76.
Class: Fish
Area: CL TA DE AG

0260 **Smith, W.A.** (1892). Note on *Zeugopterus unimaculatus*, Risso, and its habitat. *Annals of Scottish Natural History,* **1892**: 76-77.
Class: Fish
Area: Gen AG IH

0261 **Service, R.** (1892). The Three-bearded Rockling (*Motella tricirrata*, Bloch) in the Solway Firth. *Annals of Scottish Natural History,* **1892**: 77.
Class: Fish
Area: SO

0262 **Campbell, J.M.** (1892). The occurrence of the Hooded Seal (*Cystophora cristata*, Erxleben) in Benbecula. *Annals of Scottish Natural History,* **1892**: 85-87.
Class: Mamm
Area: OH

0263 **Clarke, W.E.** (1892). Report on the Great Skua (*Stercorarius catarrhactes*, Linnaeus) in Shetland during the season of 1891. *Annals of Scottish Natural History,* **1892**: 87-92.
Class: Bird
Area: SH

0264 **Traquair, R.H** (1892). On malformed Trout from Scottish waters. *Annals of Scottish Natural History,* **1892**: 92-103.
Class: Fish
Area: Gen SO CL FO AG IH

0265 **Maxwell, H.** (1892). Notes on the freshwater fishes of the Solway area. *Annals of Scottish Natural History,* **1892**: 103-104.
Class: Fish
Area: SO

0266 **Harvie-Brown, J.A.** (1892). Mole (*Talpa europaea*, L.) in the Island of Ulva. *Annals of Scottish Natural History,* **1892**: 131-132.
Class: Mamm
Area: AG IH

0267 **Harvie-Brown, J.A.** (1892). Hedgehog (*Erinaceus europaeus*, L.) in Shetland. *Annals of Scottish Natural History,* **1892**: 132.
Class: Mamm
Area : SH

0268 **Evans, H.** (1892). Varities of the Otter (*Lutra vulgaris*, L.) in Jura. *Annals of Scottish Natural History,* **1892**: 132.
Class: Mamm
Area: Gen AG IH

0269 **Baldwin, E.T.** (1892). Wild Cat (*Felis cattus*, L.) in Sutherland. *Annals of Scottish Natural History,* **1892**: 132.
Class: Mamm
Area: CS

0270 **Campbell, J.M.** (1892). On the appearance of the Brown Rat (*Mus decumanus*, Pallas) on Ailsa Craig. *Annals of Scottish Natural History,* **1892**: 132-134.
Class: Mamm
Area: CL

0271 **Webster, J.G.** (1892). Melanic variety of the Rat (*Mus decumanus*, Pallas) in North Uist. *Annals of Scottish Natural History,* **1892**: 134.
Class: Mamm
Area: Gen OH

0272 **Service, R.** (1892). Notes on the Vole plague. *Annals of Scottish Natural History,* **1892**: 134.
Class: Mamm
Area: SO

0273 **Maxwell, H.** (1892). The Squirrel (*Sciurus vulgaris*, L.) in Wigtonshire. *Annals of Scottish Natural History,* **1892**: 135.
Class: Mamm
Area: SO

0274 **Hinxman, L.W.** (1892). Occurrence of the Chiff-Chaff (*Phylloscopus rufus*, Bechst.) in Banffshire. *Annals of Scottish Natural History,* **1892**: 135.
Class: Bird
Area: MO

0275 **Harvie-Brown, J.A.** (1892). Dipper (*Cinclus aquaticus*, Bechst.) in North Uist. *Annals of Scottish Natural History,* **1892**: 135.
Class: Bird
Area: OH

0276 **Service, R.** (1892). Great Grey Shrike (*Lanius excubitor*, L.) in Solway district. *Annals of Scottish Natural History,* **1892**: 135.
Class: Bird
Area: SO

0277 **Gilmour, J.** (1892). Red-backed Shrike (*Lanius collurio*, L.) at the Pentland Skerries. *Annals of Scottish Natural History,* **1892**: 135.
Class: Bird
Area: OR

0278 **Small, R.** (1892). Waxwing (*Ampelis garrulus*, L.) in Berwickshire. *Annals of Scottish Natural History,* **1892**: 135.
Class: Bird
Area: TW

0279 **Dunbar, L.** (1892). Waxwing (*Ampelis garrulus*, L.) in Caithness *Annals of Scottish Natural History,* **1892**: 135.
Class: Bird
Area: CS

0280 **Maclachlan, N.** (1892). Rook (*Corvus frugilegus*, L.) singing. *Annals of Scottish Natural History,* **1892**: 135-136.
Class: Bird
Area: Gen FO

0281 **Dunbar, L.** (1892). Rollers (*Coracias garrulus*, L.) in Caithness. *Annals of Scottish Natural History,* **1892**: 136.
Class: Bird
Area: CS

0282 **Harbrouch, E.M.** (1892). Dichromatism in the Tawny Owl (*Syrnium aluco*, L.). *Annals of Scottish Natural History,* **1892**: 136.
Class: Bird
Area: Gen

0283 **Dunbar, L.** (1892). Hen Harrier (*Circus cyaneus*, L.) in Caithness. *Annals of Scottish Natural History,* **1892**: 136-137.
Class: Bird
Area: CS

0284 **Macpherson, C.B.** (1892). Rough-legged Buzzard (*Archibuteo lagopus*, Gmel.) near Kingussie. *Annals of Scottish Natural History,* **1892**: 137.
Class: Bird
Area: MO

0285 **Peace, T.S.** (1892). Albino Cormorant (*Phalacrocorax carbo*, L.) in Orkney. *Annals of Scottish Natural History,* **1892**: 137.
Class: Bird
Area: Gen OR

0286 **Maxwell, H.** (1892). The Bittern (*Botaurus stellaris*, L.) in Wigtonshire. *Annals of Scottish Natural History,* **1892**: 137.
Class: Bird
Area: SO

0287 **Fyfe, A.** (1892). Bittern (*Botaurus stellaris*, L.) at Moffat. *Annals of Scottish Natural History,* **1892**: 137.
Class: Bird
Area: SO

0288 **Harvey, W.** (1892). The Shoveller (*Spatula clypeata*, L.) nesting in Sanday, Orkney. *Annals of Scottish Natural History,* **1892**: 138.
Class: Bird
Area: OR

0289 **Peace, T.S.** (1892). Great Bustard (*Otis tarda*, L.) in Orkney. *Annals of Scottish Natural History,* **1892**: 138.
Class: Bird
Area: OR

0290 **Duthie, W.H.M.** (1892). Oystercatcher (*Haematopus ostralegus*, L.) incubating under difficulties. *Annals of Scottish Natural History,* **1892**: 139.
Class: Bird
Area: Gen TA

0291 **MacRury, J.** (1892). The Gray Phalarope (*Phalaropus fulicarius*, L.) in Barra. *Annals of Scottish Natural History,* **1892**: 139.
Class: Bird
Area: OH

0292 **MacRury, J.** (1892). Ruff (*Machetes pugnax*, L.) in the Outer Hebrides. *Annals of Scottish Natural History,* **1892**: 139.
Class: Bird
Area: OH

0293 **MacRury, J.** (1892). Whimbrel (*Numenius phaeopus*, L.) wintering in Barra. *Annals of Scottish Natural History,* **1892**: 140.
Class: Bird
Area: OH

0294 **Argyll, Duke of** (1892). Occurrence of the Iceland Gull (*Larus leucopterus*, Faber) at Inveraray. *Annals of Scottish Natural History,* **1892**: 140.
Class: Bird
Area: CL AG

0295 **Malcolm, J.W.** (1892). Occurrence of the Iceland Gull (*Larus leucopterus*, Faber) at Poltalloch, Argyll. *Annals of Scottish Natural History,* **1892**: 140.
Class: Bird
Area: CL AG

0296 **Mackenzie, D.** (1892). Occurrence of the Iceland Gull (*Larus leucopterus*, Faber) near Stornoway. *Annals of Scottish Natural History,* **1892**: 140.
Class: Bird
Area: OH

0297 **Dunbar, L.** (1892). Occurrence of the Iceland Gull (*Larus leucopterus*, Faber) in Caithness. *Annals of Scottish Natural History,* **1892**: 140.
Class: Bird
Area: CS

0298 **Editorial note.** (1892). Occurrences of the Iceland Gull (*Larus leucopterus*, Faber) on the west and north coasts of Scotland. *Annals of Scottish Natural History,* **1892**: 140-141.
Class: Bird
Area: AG

0299 **Service, R.** (1892). Glaucous Gull (*Larus glaucus*, Fabricius) in the Solway. *Annals of Scottish Natural History,* **1892**: 141.
Class: Bird
Area: SO

0300 **Brown, W.A.** (1892). Great Crested Grebe (*Colymbus cristatus*, L.) in the Tay. *Annals of Scottish Natural History,* **1892**: 141.
Class: Bird
Area: TA

0301 **Beveridge, A.** (1892). Occurrences of *Labrus mixtus*, L. on the west coast of Sutherlandshire. *Annals of Scottish Natural History,* **1892**: 141.
Class: Fish
Area: CS

0302 **Buckley, T.E.** (1892). Contributions to the vertebrate fauna of Sutherland and Caithness. *Annals of Scottish Natural History,* **1892**: 156-167.
Class: Mamm Bird
Area: CS

0303 **Adair, P.** (1892). On the former abundance of the Quail (*Coturnix communis*, Bonnaterre) in Wigtownshire. *Annals of Scottish Natural History,* **1892**: 168-171.
Class: Bird
Area: SO

0304 **Evans, A.H.** (1892). On the supposed breeding of the Sclavonian Grebe (*Podicipes auritus*, L.) in Ross-shire. *Annals of Scottish Natural History,* **1892**: 171-172.
Class: Bird
Area: NW

0305 **Editorial note.** (1892). Rockall and its avifauna. *Annals of Scottish Natural History,* **1892**: 197.
Class: Bird
Area: OL

0306 **MacRury, J.** (1892). Notes on birds in Barra. *Annals of Scottish Natural History,* **1892**: 198.
Class: Bird
Area: OH

0307 **Drummond-Hay, H.M.** (1892). Unusual nesting place for the Dipper (*Cinclus aquaticus*, Bechst.). *Annals of Scottish Natural History,* **1892**: 198-199.
Class: Bird
Area: Gen TA

0308 **MacRury, J.** (1892). Whitethroat (*Sylvia rufa*, Bodd.) in Barra. *Annals of Scottish Natural History,* **1892**: 199.
Class: Bird
Area: OH

0309 **MacRury, J.** (1892). White Wagtail (*Motacilla alba*, L.) in Barra. *Annals of Scottish Natural History,* **1892**: 199.
Class: Bird
Area: OH

0310 **MacRury, J.** (1892). Swift (*Cypselus apus*, L.) in Barra. *Annals of Scottish Natural History,* **1892**: 199.
Class: Bird
Area: OH

0311 **Laird, F.** (1892). Great Spotted Woodpecker (*Dendrocopus major*, L.) in Stirlingshire. *Annals of Scottish Natural History,* **1892**: 199-200.
Class: Bird
Area: CL FO

0312 **MacRury, J.** (1892). Whimbrel (*Numenius phaeopus*, L.) wintering in Barra. *Annals of Scottish Natural History,* **1892**: 200.
Class: Bird
Area: OH

0313 **Dewar, T.F.** (1892). Buzzard (*Buteo vulgaris*, Leach) in Forfarshire. *Annals of Scottish Natural History,* **1892**: 200.
Class: Bird
Area: TA

0314 **Service, R.** (1892). Note on the Sheldrake (*Tadorna cornuta*, S.G. Gmelin). *Annals of Scottish Natural History,* **1892**: 200-201.
Class: Bird
Area: SO

0315 **Duthie, W.H.M.** (1892). Nesting of the Water Rail (*Rallus aquaticus*, L.) in Perthshire. *Annals of Scottish Natural History,* **1892**: 201.
Class: Bird
Area: TA

0316 **Saxby, J.M.E** (1892). The food of the Great Skua (*Stercorarius catarrhactes*, L.). *Annals of Scottish Natural History,* **1892**: 201-202.
Class: Bird
Area: Gen SH

0317 **Knubley, E.P.** (1892). Is legislative protection required for wild birds' eggs? *Annals of Scottish Natural History,* **1892**: 213-218.
Class: Bird
Area: Gen

0318 **Service, R.** (1892). The feather-billed Rook: is it a recently developed variation or hitherto overlooked? *Annals of Scottish Natural History,* **1892**: 218-219.
Class: Bird
Area: Gen SO

0319 **Adair, P.** (1892). The Short-eared Owl (*Asio accipitrinus*, Pallas) and the Kestrel (*Falco tinnunculus*, Linnaeus) in the Vole plague districts. *Annals of Scottish Natural History,* **1892**: 219-231.
Class: Mamm Bird
Area: SO TW

0320 **Newton, E.T.** (1892). New Scottish fossil reptiles. *Annals of Scottish Natural History,* **1892**: 232-233.
Class: Rept
Area: Gen MO

0321 **Traquair, R.H.** (1892). A new fossil fish from Dura Den. *Annals of Scottish Natural History,* **1892**: 233-235.
Class: Fish
Area: Gen TA

0322 **Clarke, W.E.** (1892). Daubenton's Bat (*Vespertilio daubentonii*, Leisler) in Banffshire. *Annals of Scottish Natural History,* **1892**: 266.
Class: Mamm
Area: MO

0323 **Campbell, C.** (1892). Water Shrew (*Crossopus fodiens*, Pallas) in Argyllshire. *Annals of Scottish Natural History,* **1892**: 266-267.
Class: Mamm
Area: AG

0324 **Evans, W.** (1892). Habits of the Mountain Hare (*Lepus variabilis*, Pallas). *Annals of Scottish Natural History,* **1892**: 267.
Class: Mamm
Area: Gen MO

0325 **Buckley, T.E.** (1892). Black Rat (*Mus rattus*, L.) in Orkney. *Annals of Scottish Natural History,* **1892**: 267-268.
Class: Mamm
Area: OR

0326 **Peace, T.S.** (1892). The occurrence of the Hooded Seal (*Cystophora cristata*, Erxleben) in Orkney. *Annals of Scottish Natural History,* **1892**: 268.
Class: Mamm
Area: OR

0327 **MacRury, J.** (1892). Whin Chat (*Pratincola rubetra*, L.) in Barra. *Annals of Scottish Natural History,* **1892**: 268.
Class: Bird
Area: OH

0328 **Hinxman, L.W. and Clarke, W.E.** (1892). The Wood Wren (*Phylloscopus sibilatrix*, Bechstein) in West Ross. *Annals of Scottish Natural History,* **1892**: 268.
Class: Bird
Area: NW

0329 **Skirving, A.** (1892). Great Grey Shrike (*Lanius excubitor*, L.) in the Stewarty of Kirkcudbright. *Annals of Scottish Natural History,* **1892**: 268.
Class: Bird
Area: SO

0330 **MacRury, J.** (1892). Kingfisher (*Alcedo ispida*, L.) in Barra. *Annals of Scottish Natural History,* **1892**: 268-269.
Class: Bird
Area: OH

0331 **Hinxman, L.W.** (1892). Nesting of the Stock Dove (*Columba oenas*, L.) in Banffshire. *Annals of Scottish Natural History,* **1892**: 269.
Class: Bird
Area: MO

0332 **Dunbar, L.** (1892). Turtle Dove (*Turtur communis*, Selby) near Wick. *Annals of Scottish Natural History,* **1892**: 269.
Class: Bird
Area: CS

0333 **Buckley, T.E.** (1892). Turtle Dove (*Turtur communis*, Selby) in Sutherland. *Annals of Scottish Natural History,* **1892**: 269.
Class: Bird
Area: CS

0334 **Anderson, P.** (1892). Occurrence of the Ruff (*Machetes pugnax*) in Tiree. *Annals of Scottish Natural History,* **1892**: 269.
Class: Bird
Area: AG IH

0335 **Brown, J.** (1892). Ruddy Sheld Ducks (*Tadorna casarca*, L.) in the Moray Firth. *Annals of Scottish Natural History ,* **1892**: 269-270.
Class: Bird
Area: MO

0336 **Harvie-Brown, J.A.** (1892). Wild Swans (*Cygnus musicus*, Bechstein) in Tiree. *Annals of Scottish Natural History,* **1892**: 270.
Class: Bird
Area: AG IH

0337 **Evans, W.** (1892). The introduction of Dace into Linlithgow Loch, and of Grayling into Cobbinshaw Loch. *Annals of Scottish Natural History,* **1892**: 270-271.
Class: Fish
Area: FO

0338 **Campbell, J.M.** (1892). Supposed cannibalism in the Slow-Worm (*Anguis fragilis*, L.). *Annals of Scottish Natural History,* **1892**: 271.
Class: Rept
Area: Gen CL

0339 **Service, R.** (1893). Risso's Grampus (*Grampus griseus*) in the Solway Firth. *Annals of Scottish Natural History,* **1893**: 1-6.
Class: Mamm
Area: SO

0340 **Duthie, W.H.M.** (1893). Destruction of wild birds' eggs, and egg-collecting. *Annals of Scottish Natural History,* **1893**: 6-8.
Class: Bird
Area: Gen

0341 **Harvie-Brown, J.A** (1893). Contributions to a fauna of the Shetland Isles. *Annals of Scottish Natural History,* **1893**: 9-25.
Class: Mamm Bird
Area: SH

0342 **Traquair, R.H.** (1893). An unusually coloured example of the Thornback (*Raia clavata*, Linn.). *Annals of Scottish Natural History,* **1893**: 25.
Class: Fish
Area: FO

0343 **Beveridge, A.** (1893). Polecats (*Mustela putorius*) at Lochinver. *Annals of Scottish Natural History,* **1893**: 41.
Class: Mamm
Area: CS

0344 **Melville, D.** (1893). Notes on Voles as garden pests. *Annals of Scottish Natural History,* **1893**: 41-42.
Class: Mamm
Area: CS

0345 **Service, R.** (1893). The Ring Ouzel (*Turdus torquatus*) in winter. *Annals of Scottish Natural History,* **1893**: 42-43.
Class: Bird
Area: Gen SO

0346 **Lumsden, J.** (1893). Jackdaw (*Corvus monedula*) nesting in the rigging of a ship. *Annals of Scottish Natural History,* **1893**: 43.
Class: Bird
Area: Gen CL

0347 **Anderson, P.** (1893). Note on the Sand Martin (*Cotile riparia*) and Carrion Crow (*Corvus corone*) in Tiree. *Annals of Scottish Natural History,* **1893**: 43.
Class: Bird
Area: AG IH

0348 **Adair, P.** (1893). Goldfinch (*Carduelis elegans*) near Edinburgh. *Annals of Scottish Natural History,* **1893**: 43.
Class: Bird
Area: FO

0349 **Serle, W.** (1893). White Wagtail (*Motacilla alba*) near Kelso. *Annals of Scottish Natural History,* **1893**: 43-44.
Class: Bird
Area: TW

0350 **Miller, J.** (1893). Swift (*Cypselus apus*) in November. *Annals of Scottish Natural History,* **1893**: 44.
Class: Bird
Area: Gen FO

0351 **Drummond-Hay, H.M.** (1893). Occurrence of the Hoopoe, and of a buff-coloured variety of the Snipe, in the Tay basin. *Annals of Scottish Natural History,* **1893**: 44-45.
Class: Bird
Area: TA

0352 **Harvie-Brown, J.A.** (1893). Snowy Owl (*Nyctea scandiaca*) in North Ronaldshay. *Annals of Scottish Natural History,* **1893**: 45.
Class: Bird
Area: OR

0353 **Buckley, T.E.** (1893). The Goshawk (*Astur palumbarius*) in Mull. *Annals of Scottish Natural History,* **1893**: 45.
Class: Bird
Area: AG IH

0354 **Fyfe, A.** (1893). Spotted Crake (*Porzana maruetta*) near Moffat. *Annals of Scottish Natural History,* **1893**: 45.
Class: Bird
Area: SO TA

0355 **Adair, P.** (1893). Quail (*Coturnix communis*) in Wigtownshire in 1892. *Annals of Scottish Natural History,* **1893**: 45.
Class: Bird
Area: FO

0356 **Dunbar, L.** (1893). Great Snipe (*Gallinago major*) near Thurso. *Annals of Scottish Natural History,* **1893**: 45.
Class: Bird
Area: CS

0357 **Hamilton, E.** (1893). On the occurrence of the Red-breasted Snipe (*Macrorhamphus griseus*) in Argyllshire. *Annals of Scottish Natural History,* **1893**: 45.
Class: Bird
Area: CL AG

0358 **Hamilton, E.** (1893). Note on the Red-necked Phalarope (*Phalaropus hyperboreus*) [and Curlew Sandpiper] in Argyllshire. *Annals of Scottish Natural History,* **1893**: 46.
Class: Bird
Area: AG

0359 **Dewar, J.F.** (1893). Black-tailed Godwit (*Limosa belgica*) in Forfarshire. *Annals of Scottish Natural History,* **1893**: 46.
Class: Bird
Area: TA

0360 **Walters, R.** (1893). Ruff (*Machetes pugnax*) in the Outer Hebrides. *Annals of Scottish Natural History ,* **1893**: 46.
Class: Bird
Area: OH

0361 **Brown, J.** (1893). Ruddy Sheld Duck (*Tadorna casarca*) in the Moray Firth. *Annals of Scottish Natural History,* **1893**: 46.
Class: Bird
Area: MO

0362 **Marshall, E.S.** (1893). Tufted Duck (*Fuligula cristata*) breeding in Selkirkshire. *Annals of Scottish Natural History,* **1893**: 46.
Class: Bird
Area: TW

0363 **Baldwin, E.T.** (1893). Pomatorhine Skua (*Stercorarius pomatorhinus*) in Perthshire. *Annals of Scottish Natural History,* **1893**: 46.
Class: Bird
Area: TA

0364 **Lilford, Lord** (1893). Cannibalism in the Zonuridae. *Annals of Scottish Natural History,* **1893**: 46-47.
Class: Rept
Area: Gen

0365 **Sim, G.** (1893). Occurrence of *Sebastes viviparus*, Kroyer, off the east coast of Scotland. *Annals of Scottish Natural History,* **1893**: 47.
Class: Fish
Area: DE

0366 **Clarke, W.E.** (1893). Report on the Great Skua (*Stercorarius catarrhactes*) in Shetland during the nesting season of 1892. *Annals of Scottish Natural History,* **1893**: 65-67.
Class: Bird
Area: SH

0367 **Briggs, A.** (1893). Bird notes from North Ronaldshay. *Annals of Scottish Natural History,* **1893**: 67-79.
Class: Bird
Area: OR

0368 **Borrer, W.** (1893). Water Shrew (*Crossopus fodiens*) in the Isle of Kerrera. *Annals of Scottish Natural History,* **1893**: 111-112.
Class: Mamm
Area: AG IH

0369 **Service, R.** (1893). Variations in the Field Vole (*Arvicola agrestis*). *Annals of Scottish Natural History,* **1893**: 112.
Class: Mamm
Area: Gen SO

0370 **Clarke, W.E** (1893). [Pale variety of the Field Vole]. *Annals of Scottish Natural History* , **1893**: 112.
Class: Mamm
Area: TW

0371 **Gunn, J.** (1893). The Wild Cat (*Felis catus*) in Caithness. *Annals of Scottish Natural History,* **1893**: 112.
Class: Mamm
Area: CS

0372 **Clarke, W.E** (1893). Common Dolphin (*Delphinus delphis*) dredged off Mull. *Annals of Scottish Natural History* , **1893**: 112-113.
Class: Mamm
Area: AG IH

0373 **Drummond-Hay, H.M.** (1893). The Ring Ouzel (*Turdus torquatus*) in winter in Perthshire. *Annals of Scottish Natural History,* **1893**: 113.
Class: Bird
Area: TA

0374 **Campbell, C.** (1893). Wheatear (*Saxicola oenanthe*) in the Forth district in January. *Annals of Scottish Natural History,* **1893**: 113.
Class: Bird
Area: FO

0375 **Brooke, H.B.** (1893). Bluethroat (*Cyanecula*) in Moray. *Annals of Scottish Natural History,* **1893**: 113.
Class: Bird
Area: MO

0376 **Editorial note.** (1893). Bohemian Waxwing (*Ampelis garrulus*) in Scotland. *Annals of Scottish Natural History,* **1893**: 113-114.
Class: Bird
Area: SO TW TA DE CS NW

0377 **Loudon, W.** (1893). Sparrow and mouse. *Annals of Scottish Natural History,* **1893**: 114.
Class: Mamm Bird
Area: Gen FO

0378 **Harvie-Brown, J.A.** (1893). Lapland Bunting (*Calcarius lapponicus*) in Shetland. *Annals of Scottish Natural History,* **1893**: 114.
Class: Bird
Area: SH

0379 **Anderson, P.** (1893). Jackdaw (*Corvus monedula*) in Tiree. *Annals of Scottish Natural History,* **1893**: 114.
Class: Bird
Area: AG IH

0380 **Skelton, A.N.** (1893). Magpie (*Pica rustica*) in Orkney. *Annals of Scottish Natural History,* **1893**: 114.
Class: Bird
Area: OR

0381 **Evans, W.** (1893). Tufted Duck (*Fuligula cristata*) and Wigeon (*Mareca penelope*) in Selkirkshire during the breeding season. *Annals of Scottish Natural History,* **1893**: 115.
Class: Bird
Area: TW

0382 **Harvie-Brown, J.A.** (1893). Pintail Ducks (*Anas acuta*) in the Forth district *Annals of Scottish Natural History,* **1893**: 115-116.
Class: Bird
Area: FO

0383 **MacRury, J.** (1893). Gray Plover (*Squatarola helvetica*) in Barra. *Annals of Scottish Natural History,* **1893**: 116.
Class: Bird
Area: OH

0384 **MacRury, J.** (1893). Variety of Golden Plover (*Charadrius pluvialis*) in Barra. *Annals of Scottish Natural History,* **1893**: 116.
Class: Bird
Area: Gen OH

0385 **MacRury, J.** (1893). Knot (*Tringa canutus*) in Barra. *Annals of Scottish Natural History,* **1893**: 116.
Class: Bird
Area: OH

0386 **MacRury, J.** (1893). Ruff (*Machetes pugnax*) in Benbecula. *Annals of Scottish Natural History,* **1893**: 116.
Class: Bird
Area: OH

0387 **Skelton, A.N.** (1893). Curlew Sandpiper (*Tringa subarquata*) in Orkney. *Annals of Scottish Natural History,* **1893**: 116-117.
Class: Bird
Area: OR

0388 **Evans, W.** (1893). The Curlew Sandpiper (*Tringa subarquata*) in summer plumage in the Firth of Forth. *Annals of Scottish Natural History,* **1893**: 117.
Class: Bird
Area: FO

0389 **Editorial note.** (1893). The protection of the Osprey. *Annals of Scottish Natural History,* **1893**: 117.
Class: Bird
Area: Gen

0390 **Clarke, W.E.** (1893). Occurrence of the Ivory Gull (*Pagophila eburnea*) in Shetland. *Annals of Scottish Natural History,* **1893**: 117-118.
Class: Bird
Area: SH

0391 **MacRury, J.** (1893). Black Guillemot (*Uria grylle*) in black or breeding plumage in winter. *Annals of Scottish Natural History,* **1893**: 118.
Class: Bird
Area: Gen OH SH

0392 **Hinxman, L.W. and Clarke, W.E.** (1893). The Palmated Newt (*Molge palmipes*) in West Ross-shire. *Annals of Scottish Natural History,* **1893**: 118.
Class: Amph
Area: NW

0393 **Evans, W.** (1893). The Palmated Newt (*Molge palmipes*) in mid-Perth. *Annals of Scottish Natural History,* **1893**: 118-119.
Class: Amph
Area: TA

0394 **Stuart, J.** (1893). Damage by the Water Vole (*Arvicola amphibia*) in Berwickshire. *Annals of Scottish Natural History,* **1893**: 120-121.
Class: Mamm
Area: TW

0395 **Editorial note.** (1893). Report on the plague of Field-Voles in Scotland. *Annals of Scottish Natural History,* **1893**: 129-145.
Class: Mamm Bird Rept
Area: SO TW CL

0396 **Evans, W.** (1893). The Whiskered Bat (*Vespertilio mystacinus*, Leisl.) in East Lothian. *Annals of Scottish Natural History,* **1893**: 146.
Class: Mamm
Area: FO

0397 **Hinxman, L.W.** (1893). Report on the movements and occurence of birds in Scotland during 1892. *Annals of Scottish Natural History,* **1893**: 147-164.
Class: Bird
Area: SO TW FO TA DE MO CS AG IH OH OR SH

0398 **Bolam, G.** (1893). The Gray Seal (*Halichoerus grypus*) near Berwick-on-Tweed. *Annals of Scottish Natural History,* **1893**: 180-181.
Class: Mamm
Area: TW

0399 **Harvey, W.** (1893). Golden Oriole (*Oriolus galbula*) in Orkney. *Annals of Scottish Natural History,* **1893**: 181.
Class: Bird
Area: OR

0400 **Hinxman, L.W. and Clarke W.E.** (1893). Nesting of the Snow Bunting (*Plectrophanes nivalis*) in the eastern Cairngorms. *Annals of Scottish Natural History,* **1893**: 181-182.
Class: Bird
Area: DE MO

0401 **Paterson, J.** (1893). The Red-backed Shrike (*Lanius collurio*) nesting in Lanarkshire. *Annals of Scottish Natural History,* **1893**: 182-183.
Class: Bird
Area: CL

0402 **Editorial note.** (1893). [The Red-backed Shrike (*Lanius collurio*) said to have nested in south-east Scotland]. *Annals of Scottish Natural History,* **1893**: 183.
Class: Bird
Area: TW FO

0403 **Macdowall, E.L.** (1893). Cuckoos (*Cuculus canorus*) and caterpillars. *Annals of Scottish Natural History,* **1893**: 183.
Class: Bird
Area: Gen CL

0404 **Laidlaw, T.G.** (1893). The Merlin (*Falco aesalon*) as an enemy of the Vole. *Annals of Scottish Natural History,* **1893**: 183.
Class: Mamm Bird
Area: Gen FO

0405 **Adair, P.** (1893). Quail in Mid-Lothian (*Coturnix communis*). *Annals of Scottish Natural History,* **1893**: 183.
Class: Bird
Area: FO

0406 **Traill, A.L.** (1893). Fulmar Petrel (*Fulmarus glacialis*) breeding in Papa Stour, Shetland. *Annals of Scottish Natural History,* **1893**: 184.
Class: Bird
Area: SH

0407 **Evans, W.** (1893). The Palmated Newt (*Molge palmata*) in Inverness-shire. *Annals of Scottish Natural History,* **1893**: 184.
Class: Amph
Area: MO

0408 **Clarke, W.E.** (1893). Scottish newts wanted. *Annals of Scottish Natural History,* **1893**: 184.
Class: Amph
Area: Gen

0409 **Trail, J.W.H.** (1893). Orchids and Rooks. *Annals of Scottish Natural History,* **1893**: 187.
Class: Bird
Area: Gen DE

0410 **Adair, P.** (1893). Notes on the disappearance of the Short-tailed Field Vole (*Arvicola agrestis*), and on some of the effects of the visitation. *Annals of Scottish Natural History,* **1893**: 193-202.
Class: Mamm Bird
Area: SO TW

0411 **Boulenger, G.A.** (1893). On some remarkable specimens of *Rana temporaria* from Scotland. *Annals of Scottish Natural History,* **1893**: 202-203.
Class: Amph
Area: Gen MO CS NW

0412 **Sim, G.** (1893). *Scorpaena dactyloptera*, Delaroche, in Scottish Waters. *Annals of Scottish Natural History,* **1893**: 204-206.
Class: Fish
Area: Gen DE MO

0413 **Traquair, R.H.** (1893). On the discovery of *Cephalaspis* in the Caithness flags. *Annals of Scottish Natural History,* **1893**: 206-207.
Class: Fish
Area: CS

0414 **Evans, W.** (1893). The Marsh Titmouse in Strathspey. *Annals of Scottish Natural History,* **1893**: 207-213.
Class: Bird
Area: TW FO MO

0415 **Evans, W.** (1893). The Quail (*Coturnix communis*) in the Edinburgh district. *Annals of Scottish Natural History,* **1893**: 246.
Class: Bird
Area: FO

0416 **MacRury, J.** (1893). Quails (*Coturnix communis*) in Barra. *Annals of Scottish Natural History,* **1893**: 246-247.
Class: Bird
Area: OH

0417 **Campbell, J.M.** (1893). The Swordfish (*Xiphius gladius,* L.) in the Firth of Forth. *Annals of Scottish Natural History,* **1893**: 247.
Class: Fish
Area: FO

0418 **Service, R.** (1893). Bonito (*Thynnus pelamys*) and Fox Shark (*Alopecias vulpes*) in the Solway Firth. *Annals of Scottish Natural History,* **1893**: 247.
Class: Fish
Area: SO

0419 **Smith, W.A.** (1893). Note on a parti-coloured Plaice (*Pleuronectes platessa*). *Annals of Scottish Natural History,* **1893**: 247-248.
Class: Fish
Area: Gen CL AG

0420 **Traquair, R.H.** (1894). Note on the skeleton of a specimen of Risso's Grampus (*Grampus griseus*). *Annals of Scottish Natural History,* **1894**: 1-2.
Class: Mamm
Area: SO

0421 **Harvie-Brown, J.A. and Clarke, W.E.** (1894). On the occurrence of the Red-breasted Flycatcher (*Muscicapa parva*) in the Outer Hebrides. *Annals of Scottish Natural History,* **1894**: 2-3.
Class: Bird
Area: OH

0422 **Harvie-Brown, J.A.** (1894). On the extension of the distribution of the Stock Dove (*Columba oenas*) in Scotland. *Annals of Scottish Natural History,* **1894**: 3-8.
Class: Bird
Area: CL FO TA DE MO CS SH

0423 **Clarke, W.E.** (1894). The persecution of the Great Skua - *Stercorarius catarrhactes*. *Annals of Scottish Natural History,* **1894**: 8-12.
Class: Bird
Area: SH

0424 **Laidlaw, T.G.** (1894). Early appearance of the Fieldfare (*Turdus pilaris*). *Annals of Scottish Natural History,* **1894**: 54.
Class: Bird
Area: FO

0425 **McVean, C.A.** (1894). Kingfisher (*Alcedo ispida*) in Mull. *Annals of Scottish Natural History,* **1894**: 54.
Class: Bird
Area: AG IH

0426 **Bell, R.B.** (1894). The Roller (*Coracias garrula*) in East Ross-shire. *Annals of Scottish Natural History,* **1894**: 54-55.
Class: Bird
Area: MO

0427 **Harvie-Brown, J.A.** (1894). Stock Dove (*Columba oenas*) in Shetland. *Annals of Scottish Natural History,* **1894**: 55.
Class: Bird
Area: SH

0428 **Harvie-Brown, J.A.** (1894). Quail (*Coturnix communis*) in Elginshire. *Annals of Scottish Natural History,* **1894**: 55.
Class: Bird
Area: MO

0429 **Harvie-Brown, J.A. and Clarke, W.E.** (1894). Little Auk (*Alca alle*) in the Outer Hebrides in summer. *Annals of Scottish Natural History,* **1894**: 55.
Class: Bird
Area: OH

0430 **Ranken, T.W.** (1894). Buffon's Skua (*Stercorarius parasiticus*) in Orkney. *Annals of Scottish Natural History,* **1894**: 55-56.
Class: Bird
Area: OR

0431 **MacRury, J.** (1894). Bird notes from Barra. *Annals of Scottish Natural History,* **1894**: 56.
Class: Bird
Area: OH

0432 **Newton, A.** (1894). Notes on "A Bill to Amend the Wild Birds' Protection Act, 1880". *Annals of Scottish Natural History,* **1894**: 76-82.
Class: Bird
Area: Gen

0433 **Briggs, A.** (1894). Some further bird notes from North Ronaldshay. *Annals of Scottish Natural History,* **1894**: 82-87.
Class: Bird
Area: OR

0434 **Traquair, R.H.** (1894). On Mr. E.T. Newton's memoir "On some New Reptiles from the Elgin Sandstones". *Annals of Scottish Natural History,* **1894**: 88-94.
Class: Rept
Area: Gen MO

0435 **Traquair, R.H.** (1894). *Palaeospondylus gunni.* Traq., from the Caithness flagstones. *Annals of Scottish Natural History,* **1894**: 94-99.
Class: Fish
Area: Gen CS

0436 **Serle, W.** (1894). Polecat (*Mustela putorius*) in Aberdeenshire. *Annals of Scottish Natural History,* **1894**: 113.
Class: Mamm
Area: DE

0437 **MacRury, J.** (1894). The Dipper (*Cinclus aquaticus*) [and Iceland Gull] in Barra. *Annals of Scottish Natural History,* **1894**: 113.
Class: Bird
Area: OH

0438 **Serle, W.** (1894). Albino Bunting (*Emberiza miliaria*) in Aberdeenshire. *Annals of Scottish Natural History,* **1894**: 113.
Class: Bird
Area: Gen DE

0439 **Marshall, E.S.** (1894). The Hoopoe (*Upupa epops*) in West Ross-shire. *Annals of Scottish Natural History,* **1894**: 113.
Class: Bird
Area: NW

0440 **Editorial note.** (1894). Snowy Owl in Shetland. *Annals of Scottish Natural History,* **1894**: 113.
Class: Bird
Area: SH

0441 **Campbell, B.** (1894). Sparrow Hawk (*Accipiter nisus*) preying upon a Magpie (*Pica rustica*). *Annals of Scottish Natural History,* **1894**: 113-114.
Class: Bird
Area: Gen FO

0442 **Matheson, D.** (1894). Golden Eagle attacking a Stag. *Annals of Scottish Natural History,* **1894**: 114.
Class: Mamm Bird
Area: Gen NW

0443 **Maxwell, H.** (1894). Widgeon (*Mareca penelope*) on the White Loch of Myreton, Wigtownshire. *Annals of Scottish Natural History,* **1894**: 114-115.
Class: Bird
Area: SO

0444 **Harvie-Brown, J.A.** (1894). Pochard (*Fuligula ferina*) on the River Carron, Stirlingshire. *Annals of Scottish Natural History,* **1894**: 115.
Class: Bird
Area: FO

0445 **Sim, G.** (1894). Smew in Aberdeenshire. *Annals of Scottish Natural History,* **1894**: 115.
Class: Bird
Area: DE

0446 **Campbell, B.** (1894). Stock Dove (*Columba oenas*) in West Lothian. *Annals of Scottish Natural History,* **1894**: 115.
Class: Bird
Area: FO

0447 **Dewar, T.F.** (1894). Stock Dove (*Columba oenas*) in Forfarshire. *Annals of Scottish Natural History,* **1894**: 115.
Class: Bird
Area: TA

0448 **Marshall, E.S.** (1894). The Stock Dove (*Columba oenas*) in West Ross-shire. *Annals of Scottish Natural History,* **1894**: 115.
Class: Bird
Area: NW

0449 **Ferrier, J.** (1894). Nesting of Quails in Shetland. *Annals of Scottish Natural History,* **1894**: 116.
Class: Bird
Area: SH

0450 **Anderson, P.** (1894). Knot (*Tringa canutus*) in Tiree in winter. *Annals of Scottish Natural History,* **1894**: 116.
Class: Bird
Area: AG IH

0451 **Buckley, T.E.** (1894). Little Gull (*Larus minutus*) in Inverness-shire. *Annals of Scottish Natural History,* **1894**: 116.
Class: Bird
Area: MO

0452 **Buckley, T.E.** (1894). Great Skua (*Stercorarius catarrhactes*) in the Outer Hebrides. *Annals of Scottish Natural History,* **1894**: 116.
Class: Bird
Area: OH

0453 **Serle, W.** (1894). Great Crested Grebe (*Podicipes cristatus*) on the Aberdeenshire coast. *Annals of Scottish Natural History,* **1894**: 116.
Class: Bird
Area: DE

0454 **Clarke, W.E.** (1894). Scottish newts wanted. *Annals of Scottish Natural History,* **1894**: 116.
Class: Amph
Area: Gen

0455 **Ogilvie-Grant, W.R.** (1894). On the changes of plumage in the Red Grouse (*Lagopus scoticus*). *Annals of Scottish Natural History,* **1894**: 129-140.
Class: Bird
Area: Gen

0456 **MacRury, J.** (1894). The birds of the Island of Barra. *Annals of Scottish Natural History,* **1894**: 140-145, 203-211.
Class: Bird
Area: OH

0457 **Hinxman, L.W.** (1894). Report on the movements and occurrence of birds in Scotland during 1893. *Annals of Scottish Natural History,* **1894**: 146-153, 212-224.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OR SH

0458 **Service, R.** (1894). Great Gray Shrike in the Solway district. *Annals of Scottish Natural History,* **1894**: 178.
Class: Bird
Area: SO

0459 **Stuart, C.** (1894). Nesting of Great Spotted Woodpecker in Berwickshire. *Annals of Scottish Natural History,* **1894**: 178.
Class: Bird
Area: TW

0460 **Editorial note.** (1894). [Great Spotted Woodpecker formerly breeding in Scotland]. *Annals of Scottish Natural History* , **1894**: 178.
Class: Bird
Area: Gen

0461 **Mackenzie, P.C.** (1894). Swift in Mull. *Annals of Scottish Natural History,* **1894**: 178.
Class: Bird
Area: AG IH

0462 **Buckley, T.E.** (1894). Sea Eagle (*Haliaëtus albicilla*) in West Ross-shire. *Annals of Scottish Natural History,* **1894**: 179.
Class: Bird
Area: NW

0463 **Paterson, J.** (1894). Nesting of the Tufted Duck in Renfrewshire and Wigtownshire. *Annals of Scottish Natural History,* **1894**: 179.
Class: Bird
Area: SO CL

0464 **Steel, A.** (1894). Albino Ring Dove and Mole near Kelso. *Annals of Scottish Natural History,* **1894**: 179.
Class: Mamm Bird
Area: Gen TW

0465 **Service, R.** (1894). Occurrence of the Whiskered Tern in Solway. *Annals of Scottish Natural History,* **1894**: 179-181.
Class: Bird
Area: SO

0466 **Cumming, H.** (1894). Nesting of the Great Crested Grebe in Stirlingshire. *Annals of Scottish Natural History,* **1894**: 181.
Class: Bird
Area: FO

0467 **Briggs, A.** (1894). Great Crested Grebe nesting in Fifeshire. *Annals of Scottish Natural History,* **1894**: 181.
Class: Bird
Area: TA

0468 **Evans, W.** (1894). Great Crested Grebe breeding in mid-Fife. *Annals of Scottish Natural History,* **1894**: 181.
Class: Bird
Area: FO TA

0469 **Scott, T.** (1894). *Scorpaena dactyloptera* in Scottish waters. *Annals of Scottish Natural History,* **1894**: 181-182.
Class: Fish
Area: FO

0470 **Service, R.** (1894). Common Wrasse in the Solway Firth. *Annals of Scottish Natural History,* **1894**: 182.
Class: Fish
Area: SO

0471 **Smith, W.A.** (1894). Six-gilled Shark (*Notidanus griseus*) on the west coast of Scotland. *Annals of Scottish Natural History,* **1894**: 182-183.
Class: Fish
Area: NW AG IH OH

0472 **Sandeman, G.** (1894). Some singular Eels (*Anguilla vulgaris*) from the Isle of May. *Annals of Scottish Natural History,* **1894**: 183.
Class: Fish
Area: FO

0473 **Grieve, S** (1894). Notes on Daubenton's Bat as observed in Glen Dochart, Perthshire. *Annals of Scottish Natural History,* **1894**: 193-195.
Class: Mamm
Area: TA

0474 **Clarke, W.E.** (1894). On the probable breeding of the Hawfinch (*Coccothraustes vulgaris*) in Midlothian. *Annals of Scottish Natural History,* **1894**: 195-197.
Class: Bird
Area: FO

0475 **Berry, W.** (1894). On the introduction of Grouse to the Tentsmuir in Fife. *Annals of Scottish Natural History,* **1894**: 197-203
Class: Bird
Area: TA

0476 **Traquair, R.H** (1894). On *Psammosteus taylori,* a new fossil fish from the upper old red sandstone of Morayshire. *Annals of Scottish Natural History,* **1894**: 225-226.
Class: Fish
Area: Gen MO

0477 **Trail, F.** (1894). Crossbills in Foula, Shetland. *Annals of Scottish Natural History,* **1894**: 257.
Class: Bird
Area: SH

0478 **Editorial note.** (1894). [Crossbills in the Hebrides]. *Annals of Scottish Natural History,* **1894**: 257.
Class: Bird
Area: AG IH OH

0479 **Paterson, J.** (1894). Kingfisher in Mull. *Annals of Scottish Natural History,* **1894**: 257.
Class: Bird
Area: AG IH

0480 **Read, R.H.** (1894). Nesting of the Tufted Duck in Renfrewshire. *Annals of Scottish Natural History,* **1894**: 257-258.
Class: Bird
Area: CL

0481 **Murdoch, A.B.** (1894). Green Sandpiper in Argyll. *Annals of Scottish Natural History,* **1894**: 258.
Class: Bird
Area: AG

0482 **Sim, G.** (1894). *Notidanus griseus* captured off the Orkney Islands. *Annals of Scottish Natural History,* **1894**: 258.
Class: Fish
Area: OR

0483 **Harvie-Brown, J.A.** (1895). The Starling in Scotland, its increase and distribution. *Annals of Scottish Natural History,* **1895**: 2-22.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OR SH

0484 **Clarke, W.E.** (1895). Some fishes new to or rare in the Firth of Forth. *Annals of Scottish Natural History,* **1895**: 23-28.
Class: Fish
Area: FO

0485 **Murdoch, A.B.** (1895). Recurrence of the Wild Cat in Ardnamurchan. *Annals of Scottish Natural History,* **1895**: 52.
Class: Mamm
Area: NW

0486 **Gray, D.** (1895). Lesser Rorqual in Scottish waters. *Annals of Scottish Natural History,* **1895**: 52-53.
Class: Mamm
Area: DE

0487 **Winton, W.E. de** (1895). Wood Mouse in the Outer Hebrides. *Annals of Scottish Natural History,* **1895**: 53.
Class: Mamm
Area: OH SK

0488 **Skirving, R.S.** (1895). Carrion Crow, Hen Harrier, and Eagles in Islay. *Annals of Scottish Natural History,* **1895**: 53-54.
Class: Bird
Area: AG IH

0489 **Buckley, T.E.** (1895). Pied Flycatcher breeding in Inverness-shire. *Annals of Scottish Natural History,* **1895**: 54.
Class: Bird
Area: MO

0490 **Briggs, A.** (1895). White-winged Crossbill in Orkney. *Annals of Scottish Natural History,* **1895**: 54.
Class: Bird
Area: OR

0491 **Paterson, J.** (1895). Swallows nesting in tunnels. *Annals of Scottish Natural History,* **1895**: 54-55.
Class: Bird
Area: Gen CL

0492 **Maxwell, H.** (1895). The Shoveller in Wigtownshire. *Annals of Scottish Natural History,* **1895**: 55.
Class: Bird
Area: SO

0493 **Drummond-Hay, H.M.** (1895). Ruddy Sheld-Duck, albino Cormorant, etc., [and Hawfinch] in the Tay district. *Annals of Scottish Natural History,* **1895**: 55-56.
Class: Bird
Area: Gen TA

0494 **Read, R.H.** (1895). Nesting of the Water Rail near Glasgow. *Annals of Scottish Natural History,* **1895**: 56.
Class: Bird
Area: CL

0495 **Dunbar, L.** (1895). Black-tailed Godwit in Orkney. *Annals of Scottish Natural History,* **1895**: 56.
Class: Bird
Area: OR

0496 **Ker, J.R.** (1895). Green Sandpiper in Dumbartonshire. *Annals of Scottish Natural History,* **1895**: 56-57.
Class: Bird
Area: CL

0497 **Harvie-Brown, J.A.** (1895). Albatross in the Orcadian seas. *Annals of Scottish Natural History,* **1895**: 57.
Area: Bird
Area: OR

0498 **Evans, W.** (1895). The Fulmar Petrel off Dunbar. *Annals of Scottish Natural History,* **1895**: 57-58.
Class: Bird
Area: FO

0499 **Buckley, T.E.** (1895). Fulmar Petrel at Nairn. *Annals of Scottish Natural History,* **1895**: 58.
Class: Bird
Area: MO

0500 **Maxwell, H.** (1895). The Great Crested Grebe in Wigtownshire. *Annals of Scottish Natural History,* **1895**: 58.
Class: Bird
Area: SO

0501 **Service, R.** (1895). The Starling in Solway. *Annals of Scottish Natural History,* **1895**: 92-96.
Class: Bird
Area: SO

0502 **Editorial note.** (1895). On the occurrence of the Sub-Alpine Warbler in the Outer Hebrides. *Annals of Scottish Natural History,* **1895**: 97.
Class: Bird
Area: OH

0503 **Clarke, W.E.** (1895). On the recent visitation of the Little Auk (*Mergulus alle*) to Scotland. *Annals of Scottish Natural History,* **1895**: 97-108.
Class: Bird
Area: TW CL FO TA DE MO CS AG IH OH OR SH

0504 **Sim, G.** (1895). Pine Marten in Aberdeenshire. *Annals of Scottish Natural History,* **1895**: 120.
Class: Mamm
Area: DE

0505 **Campbell, C.** (1895). Pine Marten in Inverness-shire. *Annals of Scottish Natural History,* **1895**: 121.
Class: Mamm
Area: MO

0506 **Young, M.** (1895). Wild Cat in Renfrewshire. *Annals of Scottish Natural History,* **1895**: 121.
Class: Mamm
Area: CL

0507 **Murdoch, A.B.** (1895). Wild Cat in Argyleshire. *Annals of Scottish Natural History,* **1895**: 121.
Class: Mamm
Area: AG

0508 **Campbell, C.** (1895). Recurrence of the Wild Cat in Morvern, Argyleshire. *Annals of Scottish Natural History,* **1895**: 121.
Class: Mamm
Area: AG

0509 **Editorial note.** (1895). The Missel Thrush in Shetland. *Annals of Scottish Natural History,* **1895**: 122.
Class: Bird
Area: SH

0510 **Raeburn, N.** (1895). Whitethroat and Ring Dove in Shetland. *Annals of Scottish Natural History,* **1895**: 122.
Class: Bird
Area: SH

0511 **Sim, G.** (1895). The Tree-Sparrow in Aberdeenshire. *Annals of Scottish Natural History,* **1895**: 122.
Class: Bird
Area: DE

0512 **Service, R.** (1895). Mealy Redpoll in Kirkcudbright. *Annals of Scottish Natural History,* **1895**: 122.
Class: Bird
Area: SO

0513 **Evans, W.** (1895). Waxwings in the south-east of Scotland. *Annals of Scottish Natural History,* **1895**: 122.
Class: Bird
Area: TW FO

0514 **Bruce, D.** (1895). The Shorelark near Dunbar. *Annals of Scottish Natural History,* **1895**: 122-123.
Class: Bird
Area: FO

0515 **Aitken, D.P.** (1895). Shorelarks near Aberlady, East Lothian. *Annals of Scottish Natural History,* **1895**: 123.
Class: Bird
Area: FO

0516 **Evans, W.** (1895). Hoopoe in Peeblesshire. *Annals of Scottish Natural History,* **1895**: 123.
Class: Bird
Area: TW

0517 **Serle, W.** (1895). Roller in Aberdeenshire. *Annals of Scottish Natural History,* **1895**: 123.
Class: Bird
Area: DE

0518 **Dunbar, L.** (1895). Barn Owl in Caithness. *Annals of Scottish Natural History,* **1895**: 123.
Class: Bird
Area: CS

0519 **Paterson, J.** (1895). On the Tufted Duck in south-west Scotland. *Annals of Scottish Natural History,* **1895**: 123-124.
Class: Bird
Area: SO CL

0520 **Paterson, J.** (1895). The Pintail, Great Grey Shrike, and Jay in Renfrewshire. *Annals of Scottish Natural History,* **1895**: 124.
Class: Bird
Area: CL

0521 **Chalmers, D.** (1895). Smew in Midlothian. *Annals of Scottish Natural History,* **1895**: 124.
Class: Bird
Area: FO

0522 **Editorial note.** (1895). [Smew near Crieff]. *Annals of Scottish Natural History,* **1895**: 124.
Class: Bird
Area: TA

0523 **Service, R.** (1895). Brent and Pink-footed Geese on the Solway. *Annals of Scottish Natural History,* **1895**: 124-125.
Class: Bird
Area: SO

0524 **Buckley, T.E.** (1895). Hybrid between Red and Black Grouse. *Annals of Scottish Natural History,* **1895**: 125.
Class: Bird
Area: Gen NW

0525 **Dunbar, L.** (1895). Black-tailed Godwit in Orkney. *Annals of Scottish Natural History,* **1895**: 125.
Class: Bird
Area: OR

0526 **Briggs, A.** (1895). Little Gull at St. Andrews. *Annals of Scottish Natural History,* **1895**: 125.
Class: Bird
Area: TA

0527 **Serle, W.** (1895). Ivory Gull in Aberdeenshire. *Annals of Scottish Natural History,* **1895**: 125.
Class: Bird
Area: DE

0528 **Paterson, J.** (1895). Great Crested Grebe in Wigtownshire. *Annals of Scottish Natural History,* **1895**: 125.
Class: Bird
Area: SO

0529 **Bruce, D.** (1895). Red-necked Grebe at Dunbar. *Annals of Scottish Natural History,* **1895**: 125.
Class: Bird
Area: FO

0530 **Aitken, D.P.** (1895). Red-necked and Eared Grebes near Dunbar. *Annals of Scottish Natural History,* **1895**: 126.
Class: Bird
Area: FO

0531 **Pow, G.** (1895). Red-necked Grebes in the neighbourhood of Dunbar. *Annals of Scottish Natural History,* **1895**: 126.
Class: Bird
Area: FO

0532 **Evans, W.** (1895). Red-necked Grebes on the East Lothian coast. *Annals of Scottish Natural History,* **1895**: 126.
Class: Bird
Area: FO

0533 **Editorial note.** (1895). [Red-necked Grebes in east of Scotland]. *Annals of Scottish Natural History,* **1895**: 126.
Class: Bird
Area: FO TA DE

0534 **Smith, W.A.** (1895). Sand Smelt or Atherine in Scottish waters. *Annals of Scottish Natural History,* **1895**: 126-127.
Class: Fish
Area: CL FO NW AG IH

0535 **Sim, G.** (1895). Electric Ray on the east coast of Scotland. *Annals of Scottish Natural History,* **1895**: 127.
Class: Fish
Area: MO CS

0536 **Editorial note.** (1895). Large Greenland Shark captured off the south-east coast of Scotland. *Annals of Scottish Natural History,* **1895**: 128.
Class: Fish
Area: FO

0537 **Clarke, W.E.** (1895). Scottish newts wanted. *Annals of Scottish Natural History,* **1895**: 128.
Class: Amph
Area: Gen

0538 **Evans, W.** (1895). Ornithological notes made in the Island of Bute in midwinter. *Annals of Scottish Natural History,* **1895**: 137-148.
Class: Mamm Bird
Area: CL

0539 **Grimshaw, P.H.** (1895). On the occurrence in Ross-shire of *Cephenomyia rufibarbis*, a new British bot-fly parasitic on the Red Deer. *Annals of Scottish Natural History,* **1895**: 155-158.
Class: Mamm
Area: Gen

0540 **Maclaine of Lochbuie.** (1895). Prices paid for "Vermin" in Mull in 1825. *Annals of Scottish Natural History,* **1895**: 193.
Class: Mamm Bird
Area: AG IH

0541 **Paterson, J.** (1895). The White Wagtail and Yellow Wagtail in the Clyde area. *Annals of Scottish Natural History,* **1895**: 193.
Class: Bird
Area: CL

0542 **Paterson, J.** (1895). The Garden Warbler in the Clyde area. *Annals of Scottish Natural History,* **1895**: 194-195.
Class: Bird
Area: CL

0543 **Evans, W** (1895). The Chiff-chaff in Arran. *Annals of Scottish Natural History,* **1895**: 195.
Class: Bird
Area: CL

0544 **Evans, W.** (1895). Nesting of the Great Spotted Woodpecker in Berwickshire. *Annals of Scottish Natural History,* **1895**: 195.
Class: Bird
Area: TW

0545 **Henderson, R. and Henderson, T.** (1895). Snowy Owl in Shetland. *Annals of Scottish Natural History,* **1895**: 195-196.
Class: Bird
Area: SH

0546 **Editorial note.** (1895). [Snowy Owl in Orkney]. *Annals of Scottish Natural History,* **1895**: 196.
Class: Bird
Area: OR

0547 **Editorial note.** (1895). The Bean and Pink-footed Geese as Scottish birds. *Annals of Scottish Natural History,* **1895**: 196.
Class: Bird
Area: Gen

0548 **Laidlaw, T.G.** (1895). The Stock Dove nesting in Peeblesshire. *Annals of Scottish Natural History,* **1895**: 196.
Class: Bird
Area: TW

0549 **Traquair, R.H.** (1895). Remains of the Great Auk in the Edinburgh Museum. *Annals of Scottish Natural History,* **1895**: 196-197.
Class: Bird
Area: Gen

0550 **Editorial note.** (1895). *Phycis blennoides* in the Orcadian seas. *Annals of Scottish Natural History,* **1895**: 197.
Class: Fish
Area: OR

0551 **Smith, W.A.** (1895). Sand Smelt or Atherine in Scottish waters: a correction. *Annals of Scottish Natural History,* **1895**: 197-198.
Class: Fish
Area: Gen AG

0552 **Traquair, R.H.** (1895). Electric Ray on the east coast of Scotland. *Annals of Scottish Natural History,* **1895**: 198.
Class: Fish
Area: CS

0553 **Hinxman, L.W.** (1895). Report on the movements and occurrence of birds in Scotland during 1894. *Annals of Scottish Natural History,* **1895**: 207-220.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OR SH

0554 **Paterson, J. and Robertson, J.** (1895). List of the birds of east Renfrewshire. *Annals of Scottish Natural History,* **1895**: 220-231.
Class: Bird
Area: CL

0555 **Adair, P.** (1895). Wigeon (*Mareca penelope*) breeding in Selkirkshire. *Annals of Scottish Natural History,* **1895**: 231-233.
Class: Bird
Area: TW

0556 **Evans, W.** (1895). Capture of a Badger on the Pentland hills. *Annals of Scottish Natural History,* **1895**: 249.
Class: Mamm
Area: FO

0557 **Maclaine of Lochbuie.** (1895). Common Hare in Mull. *Annals of Scottish Natural History,* **1895**: 250.
Class: Mamm
Area: AG IH

0558 **Simpson, J.** (1895). Occurrence of Sowerby's Whale in the Firth of Forth. *Annals of Scottish Natural History,* **1895**: 250.
Class: Mamm
Area: FO

0559 **Macleay, W.A.** (1895). Scottish stag-horn statistics. *Annals of Scottish Natural History,* **1895**: 250.
Class: Mamm
Area: Gen

0560 **Anderson, P.** (1895). Bird notes from the Island of Tiree. *Annals of Scottish Natural History,* **1895**: 251.
Class: Bird
Area: AG IH

0561 **Cordeaux, J.** (1895). Garden Warbler in Perthshire. *Annals of Scottish Natural History,* **1895**: 251.
Class: Bird
Area: TA

0562 **Campbell, B.** (1895). Goldfinch in Perthshire. *Annals of Scottish Natural History,* **1895**: 251.
Class: Bird
Area: TA

0563 **Raeburn, H.** (1895). Swallow and Blackbird in Shetland. *Annals of Scottish Natural History,* **1895**: 251.
Class: Bird
Area: SH

0564 **Adair, P.** (1895). Short-eared Owl (*Asio accipitrinus*) as a breeding species in the south of Scotland. *Annals of Scottish Natural History,* **1895**: 252.
Class: Mamm Bird
Area: SO TW

0565 **Small, R.** (1895). Hobby captured at sea off the Firth of Forth. *Annals of Scottish Natural History,* **1895**: 252.
Class: Bird
Area: FO

0566 **Paterson, J.** (1895). Montagu's Harrier in Lanarkshire. *Annals of Scottish Natural History,* **1895**: 252.
Class: Bird
Area: CL

0567 **Hinxman, L.W.** (1895). Inland breeding of the Merganser in N.E. Scotland. *Annals of Scottish Natural History,* **1895**: 252.
Class: Bird
Area: MO

0568 **Clarke, W.E.** (1895). White-fronted Goose in St. Kilda. *Annals of Scottish Natural History,* **1895**: 252-253.
Class: Bird
Area: SK

0569 **Raeburn, H.** (1895). Red Grouse in Shetland. *Annals of Scottish Natural History,* **1895**: 253.
Class: Bird
Area: SH

0570 **Pringle, J.** (1895). Great Bustard washed up on the Ayrshire coast. *Annals of Scottish Natural History,* **1895**: 253.
Class: Bird
Area: CL

0571 **Bisshopp, C.H.** (1895). Green Sandpiper in Argyleshire. *Annals of Scottish Natural History,* **1895**: 253.
Class: Bird
Area: AG

0572 **Scott, T.** (1895). Greater Weever (*Trachinus draco*) in the Firth of Forth. *Annals of Scottish Natural History,* **1895**: 253-254.
Class: Fish
Area: FO

0573 **Simpson, J.** (1896). Uncommon cetaceans in Scottish seas. *Annals of Scottish Natural History,* **1896**: 1-2.
Class: Mamm
Area: TW FO SH

0574 **Harvie-Brown, J.A.** (1896). The Tufted Duck in Scotland - its increase and distribution. *Annals of Scottish Natural History,* **1896**: 3-22.
Class: Bird
Area: TW CL FO TA DE MO CS NW AG IH OH OR SH

0575 **MacRury, J.** (1896). The birds of the Island of Barra - additions and notes. *Annals of Scottish Natural History,* **1896**: 22-24.
Class: Bird
Area: OH

0576 **Drummond-Hay, H.M.** (1896). Ornithological notes from the Tay district of Perthshire. *Annals of Scottish Natural History,* **1896**: 24-28.
Class: Bird
Area: TA

0577 **Grieve, S.** (1896). Daubenton's Bat in Glen Dochart, Perthshire. *Annals of Scottish Natural History,* **1896**: 57-58.
Class: Mamm
Area: TA

0578 **Murdoch, A.B.** (1896). Squirrel in Ardnamurchan. *Annals of Scottish Natural History,* **1896**: 58.
Class: Mamm
Area: AG

0579 **Stuart, C.** (1896). Mealy Redpoll and Great Gray Shrike in Berwickshire. *Annals of Scottish Natural History,* **1896**: 58.
Class: Bird
Area: TW

0580 **Robertson, J.** (1896). Garden Warbler in Perthshire. *Annals of Scottish Natural History,* **1896**: 58.
Class: Bird
Area: TA

0581 **Duthie, H.M.** (1896). Marsh Titmouse in Perthshire. *Annals of Scottish Natural History,* **1896**: 59.
Class: Bird
Area: TA

0582 **Paterson, J.** (1896). Great Gray Shrike in Lanarkshire. *Annals of Scottish Natural History,* **1896**: 59.
Class: Bird
Area: CL

0583 **Paterson, J.** (1896). Common Buzzard in south Ayrshire. *Annals of Scottish Natural History,* **1896**: 59.
Class: Bird
Area: CL

0584 **Stopford, W.M.** (1896). Red-breasted Mergansers on Speyside. *Annals of Scottish Natural History,* **1896**: 59.
Class: Bird
Area: MO

0585 **Dewar, T.F.** (1896). Red-legged Partridge in Forfarshire. *Annals of Scottish Natural History,* **1896**: 59-60.
Class: Bird
Area: TA

0586 **Paterson, J.** (1896). Spotted Crake in Argyle. *Annals of Scottish Natural History,* **1896**: 60.
Class: Bird
Area: CL AG

0587 **Paterson, J.** (1896). Great Snipe and Gray Plover in east Renfrewshire. *Annals of Scottish Natural History,* **1896**: 60.
Class: Bird
Area: CL

0588 **Lumsden, J.** (1896). Birds of Loch Lomond: a correction. *Annals of Scottish Natural History,* **1896**: 60.
Class: Bird
Area: CL

0589 **Evans, W.** (1896). The Sandwich Tern and the Whimbrel on the Berwickshire coast. *Annals of Scottish Natural History,* **1896**: 60-61.
Class: Bird
Area: TW

0590 **Bolam, G.** (1896-97-99). A list of the birds of Berwick-on-Tweed, with special reference to "The Birds of Berwickshire", and notices of the occurrence of some of the rarer species in the adjoining districts. *Annals of Scottish Natural History,* **1896**: 76-93; **1897**: 5-14, 79-88; **1899**: 65-72.
Class: Bird
Area: TW

0591 **Evans, A.H.** (1896). Notes on the birds of West Ross-shire *Annals of Scottish Natural History,* **1896**: 93-97.
Class: Bird
Area: NW

0592 **Service, R.** (1896). Bird-migration and insect life in the Solway district in the autumn of 1895. *Annals of Scottish Natural History,* **1896**: 98-99.
Class: Bird
Area: SO

0593 **Clarke, W.E.** (1896). The Tree sparrow in Midlothian and in the Forth area. *Annals of Scottish Natural History,* **1896**: 121-122.
Class: Bird
Area: FO

0594 **Mackenzie, D.** (1896). Chough in the Outer Hebrides. *Annals of Scottish Natural History,* **1896**: 122.
Class: Bird
Area: OH

0595 **Buckley, T.E.** (1896). Greenland Falcon in Shetland. *Annals of Scottish Natural History,* **1896**: 122.
Class: Bird
Area: SH

0596 **Service, R.** (1896). Grey Lag Goose in the Solway area. *Annals of Scottish Natural History,* **1896**: 122.
Class: Bird
Area: SO

0597 **Buckley, T.E.** (1896). Gadwall in Shetland. *Annals of Scottish Natural History,* **1896**: 122.
Class: Bird
Area: SH

0598 **Paterson, J.** (1896). Scaup Ducks in the Clyde estuary in August. *Annals of Scottish Natural History,* **1896**: 122.
Class: Bird
Area: CL

0599 **Service, R.** (1896). Long-tailed Duck in the Solway Firth. *Annals of Scottish Natural History,* **1896**: 123.
Class: Bird
Area: SO

0600 **Sim, F.** (1896). Hybrid between Capercaillie and Pheasant. *Annals of Scottish Natural History,* **1896**: 123.
Class: Bird
Area: Gen DE

0601 **Service, R.** (1896). Spotted Crake in Kirkcudbrightshire and Dumfriesshire. *Annals of Scottish Natural History,* **1896**: 123.
Class: Bird
Area: SO

0602 **Editorial note.** (1896). [Spotted Crake nesting in Kirkcudbrightshire]. *Annals of Scottish Natural History,* **1896**: 126.
Class: Bird
Area: SO

0603 **Harvie-Brown, J.A. and Clarke, W.E.** (1896). Spotted Crake in the Clyde district. *Annals of Scottish Natural History,* **1896**: 123.
Class: Bird
Area: CL

0604 **Paterson, J.** (1896). Iceland Gull at Stornoway. *Annals of Scottish Natural History,* **1896**: 124.
Class: Bird
Area: OH

0605 **Service, R.** (1896). Black Terns in Kirkcudbrightshire. *Annals of Scottish Natural History,* **1896**: 124.
Class: Bird
Area: SO

0606 **Sim, G.** (1896). Streaked Gurnard off the Kincardine coast. *Annals of Scottish Natural History,* **1896**: 124.
Class: Fish
Area: TA DE

0607 **Service, R.** (1896). Sting Ray in the Solway Firth. *Annals of Scottish Natural History,* **1896**: 124.
Class: Fish
Area: SO

0608 **Bidie, G.** (1896). Char in Loch Lomond. *Annals of Scottish Natural History,* **1896**: 124.
Class: Fish
Area: CL

0609 **Clarke, W.E.** (1896). Scottish newts wanted. *Annals of Scottish Natural History,* **1896**: 125.
Class: Amph
Area: Gen

0610 **Hinxman, L.W.** (1896). Report on the movements and occurrence of birds in Scotland during 1895. *Annals of Scottish Natural History,* **1896**: 137-148.
Class: Bird
Area: TW CL FO TA DE MO CS NW AG IH OH OR SH

0611 **Evans, W.** (1896). Some notes on the Tufted Duck (*Fuligula cristata*). *Annals of Scottish Natural History,* **1896**: 148-155.
Class: Bird
Area: FO TA MO CS OR

0612 **Macpherson, H.A.** (1896). The Long-tailed Duck (*Harelda glacialis*) on the Solway Firth. *Annals of Scottish Natural History,* **1896**: 156-158.
Class: Bird
Area: SO

0613 **Traquair, R.H.** (1896). Notes on the occurrence of some rare fishes in Scottish waters. *Annals of Scottish Natural History,* **1896**: 158-162.
Class: Fish
Area: SO DE MO AG IH OR SH

0614 **White, P.J.** (1896). On the occurrence of the Edible Frog, *Rana esculenta,* in Scotland. *Annals of Scottish Natural History,* **1896**: 162-165.
Class: Amph
Area: DE

0615 **Bruce, W.S.** (1896). Field Vole on Ben Nevis *Annals of Scottish Natural History,* **1896**: 187.
Class: Mamm
Area: AG

0616 **Stewart, J.C.** (1896). Wild Cat in Inverness-shire *Annals of Scottish Natural History,* **1896**: 187-188.
Class: Mamm
Area: MO

0617 **Tomlinson, R.** (1896). Magpies nesting in captivity. *Annals of Scottish Natural History,* **1896**: 188-189.
Class: Bird
Area: Gen FO

0618 **Buckley, T.E.** (1896). Habits of Starlings. *Annals of Scottish Natural History,* **1896**: 189.
Class: Bird
Area: Gen MO

0619 **Evans, W.** (1896). Nesting of the Chiff-chaff in upper "Forth". *Annals of Scottish Natural History,* **1896**: 189-190.
Class: Bird
Area: FO

0620 **Skirving, R.S.** (1896). The Tree-Sparrow in Midlothian. *Annals of Scottish Natural History,* **1896**: 190.
Class: Bird
Area: FO

0621 **Paterson, J.** (1896). Great Gray Shrike and Rough-legged Buzzard in Lanarkshire. *Annals of Scottish Natural History,* **1896**: 190-191.
Class: Bird
Area: CL

0622 **Campbell, C.** (1896). Great Spotted Woodpecker in Dalmeny Park. *Annals of Scottish Natural History,* **1896**: 191.
Class: Bird
Area: FO

0623 **Orde, J.W.P.C.** (1896). Bewick's Swan in the Outer Hebrides. *Annals of Scottish Natural History,* **1896**: 191.
Class: Bird
Area: OH

0624 **Evans, W.** (1896). Nesting of the Pochard in Fife. *Annals of Scottish Natural History,* **1896**: 191.
Class: Bird
Area: FO TA

0625 **Buckley, T.E.** (1896). Pochard and Tufted Duck breeding in Orkney. *Annals of Scottish Natural History,* **1896**: 191-192.
Class: Bird
Area: OR

0626 **Brown, A.** (1896). Char in Loch Lomond. *Annals of Scottish Natural History,* **1896**: 192.
Class: Fish
Area: CL

0627 **Service, R.** (1896). Mammalia of Solway. *Annals of Scottish Natural History,* **1896**: 201-210.
Class: Mamm
Area: SO

0628 **Godfrey, R.** (1896). Notes on birds observed in Shetland during the summer of 1896. *Annals of Scottish Natural History,* **1896**: 211-218.
Class: Bird
Area: SH

0629 **Bolam, G.** (1896). On the breeding of the Wigeon (*Mareca penelope*) on the borders. *Annals of Scottish Natural History,* **1896**: 219-220.
Class: Bird
Area: TW

0630 **Orde, J.W.P.C.** (1896). Pine Marten in Argyleshire. *Annals of Scottish Natural History,* **1896**: 250.
Class: Mamm
Area: CL AG

0631 **Paterson, J.** (1896). Badger in Lanarkshire. *Annals of Scottish Natural History,* **1896**: 250.
Class: Mamm
Area: CL

0632 **Paterson, J.** (1896). Bottle-nosed Whale in Renfrewshire. *Annals of Scottish Natural History,* **1896**: 250.
Class: Mamm
Area: CL

0633 **Traquair, R.H.** (1896). Lesser Rorqual in the Moray Firth. *Annals of Scottish Natural History,* **1896**: 251.
Class: Mamm
Area: MO

0634 **Paterson, J. and Robertson, J.** (1896). The Blackcap in east Renfrewshire and the Scaup Duck there in summer. *Annals of Scottish Natural History,* **1896**: 251-252.
Class: Bird
Area: CL

0635 **Evans, W.** (1896). Ray's Wagtail nesting near Edinburgh. *Annals of Scottish Natural History,* **1896**: 252.
Class: Bird
Area: FO

0636 **Cursiter, J.W.** (1896). The Roller in Orkney. *Annals of Scottish Natural History,* **1896**: 252.
Class: Bird
Area: OR

0637 **Buckley, T.E.** (1896). Greenland Falcon in Skye. *Annals of Scottish Natural History,* **1896**: 253.
Class: Bird
Area: NW IH

0638 **Evans, W.** (1896). Nesting of the Stock Dove on the Pentland hills, etc. *Annals of Scottish Natural History,* **1896**: 253-254.
Class: Bird
Area: FO

0639 **Campbell, B.** (1896). The Stock Dove in Linlithgowshire and Midlothian. *Annals of Scottish Natural History,* **1896**: 254.
Class: Bird
Area: FO

0640 **Orde, J.W.P.C.** (1896). Turtle Dove in the Outer Hebrides. *Annals of Scottish Natural History,* **1896**: 255.
Class: Bird
Area: OH

0641 **Fowler, J.A.** (1896). Turtle Dove in West Ross-shire. *Annals of Scottish Natural History,* **1896**: 255.
Class: Bird
Area: NW

0642 **Paterson, J.** (1896). The Tufted Duck in south Ayrshire. *Annals of Scottish Natural History,* **1896**: 255.
Class: Bird
Area: CL

0643 **Paterson, J.** (1896). Probable nesting of the Red-breasted Merganser in Buteshire and Ayrshire. *Annals of Scottish Natural History,* **1896**: 255-256.
Class: Bird
Area: CL

0644 **Evans, W.** (1896). The Roseate Tern in Aberlady bay. *Annals of Scottish Natural History,* **1896**: 256.
Class: Bird
Area: FO

0645 **Hamilton, E.** (1896). Peculiar mode of fishing of the Great Black-backed Gull. *Annals of Scottish Natural History,* **1896**: 256-257.
Class: Bird
Area: Gen CS

0646 **Evans, W.** (1896). An adult Sabine's Gull (*Xema sabinii*) in Aberlady bay, Firth of Forth. *Annals of Scottish Natural History,* **1896**: 257-258.
Class: Bird
Area: FO

0647 **Bidie, G.** (1896). Char in Loch Lomond. *Annals of Scottish Natural History,* **1896**: 258.
Class: Fish
Area: CL

0648 **Macpherson, H.A.** (1897). On the interbreeding of the Red Grouse (*Lagopus scoticus*) and the Black Grouse (*Lyrurus tetrix*). *Annals of Scottish Natural History,* **1897**: 15-17.
Class: Bird
Area: Gen SO

0649 **Maxwell, H.** (1897). The Great Crested Grebe and other birds on the White Loch of Myrton, Wigtownshire. *Annals of Scottish Natural History,* **1897**: 18-20.
Class: Bird
Area: SO

0650 **Fielden, H.W.** (1897). Lesser Shrew on the summit of Ben Nevis. *Annals of Scottish Natural History,* **1897**: 42.
Class: Mamm
Area: AG

0651 **Taylor, W.** (1897). Sowerby's Whale in the Moray Firth. *Annals of Scottish Natural History,* **1897**: 42.
Class: Mamm
Area: MO

0652 **Harvie-Brown, J.A. and Clarke, W.E.** (1897). Barred Warbler at Dhu Heartach rock, Argyleshire. *Annals of Scottish Natural History,* **1897**: 42.
Class: Bird
Area: AG IH

0653 **McCrie, T.** (1897). Wyrneck in Orkney. *Annals of Scottish Natural History,* **1897**: 43.
Class: Bird
Area: OR

0654 **Crockart, D.** (1897). Hoopoe in Stirlingshire. *Annals of Scottish Natural History,* **1897**: 43.
Class: Bird
Area: FO

0655 **Haddington, Earl of** (1897). Roller in East Lothian. *Annals of Scottish Natural History,* **1897**: 43.
Class: Bird
Area: FO

0656 **Buckley, T.E.** (1897). Snowy Owl in Sutherland. *Annals of Scottish Natural History,* **1897**: 43.
Class: Bird
Area: CS

0657 **Buckley, T.E.** (1897). Greenland Falcon in Skye. *Annals of Scottish Natural History,* **1897**: 43.
Class: Bird
Area: NW IH

0658 **Stewart, J.C.** (1897). Male Peregrine Falcon incubating. *Annals of Scottish Natural History,* **1897**: 43.
Class: Bird
Area: Gen NW AG

0659 **Buckley, T.E.** (1897). Osprey in Inverness-shire. *Annals of Scottish Natural History,* **1897**: 43.
Class: Bird
Area: MO

0660 **Peel, C.V.A.** (1897). Night Heron in Barra. *Annals of Scottish Natural History,* **1897**: 43.
Class: Bird
Area: OH

0661 **Godfrey, R.** (1897). Shoveller in East and Mid Lothian. *Annals of Scottish Natural History,* **1897**: 43-44.
Class: Bird
Area: FO

0662 **Campbell, C.** (1897). Turtle Dove in West Lothian. *Annals of Scottish Natural History,* **1897**: 44.
Class: Bird
Area: FO

0663 **Dalgleish, J.J.** (1897). Turtle Dove in west Fife. *Annals of Scottish Natural History,* **1897**: 44.
Class: Bird
Area: FO

0664 **Henderson, G.** (1897). Turtle Dove in Perthshire. *Annals of Scottish Natural History,* **1897**: 44.
Class: Bird
Area: TA

0665 **Mackenzie, O.H** (1897). Turtle Dove in West Ross-shire. *Annals of Scottish Natural History,* **1897**: 44.
Class: Bird
Area: NW

0666 **Stirling, J.** (1897). Turtle Dove in Caithness. *Annals of Scottish Natural History,* **1897**: 44.
Class: Bird
Area: CS

0667 **Campbell, B.** (1897). Stock Dove on Cumbrae. *Annals of Scottish Natural History,* **1897**: 44.
Class: Bird
Area: CL

0668 **Leckie, N.** (1897). Capercaillie in Linlithgowshire. *Annals of Scottish Natural History,* **1897**: 44.
Class: Bird
Area: FO

0669 **Carmichael, G.H.G.** (1897). Hybrid Blackcock and Capercaillie in Peebleshire. *Annals of Scottish Natural History,* **1897**: 44-45.
Class: Bird
Area: Gen TW

0670 **Skirving, R.S.** (1897). Spotted Crake in Islay. *Annals of Scottish Natural History,* **1897**: 45.
Class: Bird
Area: AG IH

0671 **Buckley, T.E.** (1897). Spotted Crake in Moray. *Annals of Scottish Natural History,* **1897**: 45.
Class: Bird
Area: MO

0672 **Cook, J.R.M.** (1897). Great Snipe near St. Andrews. *Annals of Scottish Natural History,* **1897**: 45.
Class: Bird
Area: TA

0673 **Paterson, J.** (1897). Little Stint in the Clyde area. *Annals of Scottish Natural History,* **1897**: 45-46.
Class: Bird
Area: CL AG

0674 **Buckley, T.E.** (1897). Gray Phalarope in Caithness. *Annals of Scottish Natural History,* **1897**: 46.
Class: Bird
Area: CS

0675 **Argyll, Duke of** (1897). Sabine's Gull in Kilbrennan Sound. *Annals of Scottish Natural History,* **1897**: 46.
Class: Bird
Area: CL

0676 **Bruce, D.** (1897). Little Gulls at Dunbar. *Annals of Scottish Natural History,* **1897**: 46.
Class: Bird
Area: FO

0677 **White, P.J.** (1897). *Rana esculenta* in Scotland (a correction). *Annals of Scottish Natural History,* **1897**: 47.
Class: Amph
Area: DE

0678 **Fowler, J.A.** (1897). Hebridal Argentine on the West Ross-shire coast. *Annals of Scottish Natural History,* **1897**: 47.
Class: Fish
Area: NW

0679 **Hamilton, E.** (1897). The Wild Cat of Scotland. *Annals of Scottish Natural History,* **1897**: 65-78.
Class: Mamm
Area: Gen SO TW CL FO TA DE MO CS NW AG

0680 **Clarke, W.E.** (1897). On the occurrence of the Frigate Petrel (*Pelargodroma marina*) on the west coast of Scotland. *Annals of Scottish Natural History,* **1897**: 88.
Class: Bird
Area: AG IH

0681 **Evans, W.** (1897). A supposed instance of the occurrence of the Wild Cat in Midlothian. *Annals of Scottish Natural History,* **1897**: 122.
Class: Mamm
Area: FO

0682 **Buckley, T.E.** (1897). Marten in Sutherland and Inverness-shire. *Annals of Scottish Natural History,* **1897**: 122.
Class: Mamm
Area: CS MO

0683 **Paterson, J.** (1897). Badgers in Lanarkshire. *Annals of Scottish Natural History,* **1897**: 123.
Class: Mamm
Area: CL

0684 **Buckley, T.E.** (1897). Great Tit in Sutherland. *Annals of Scottish Natural History,* **1897**: 123.
Class: Bird
Area: CS

0685 **Maxwell, H.** (1897). The Scaup Duck on fresh waters. *Annals of Scottish Natural History,* **1897**: 123.
Class: Bird
Area: Gen SO

0686 **Paterson, J.** (1897). Baillon's Crake in west Renfrewshire. *Annals of Scottish Natural History,* **1897**: 123-124.
Class: Bird
Area: CL

0687 **Service, R.** (1897). Solitary Snipe in the Solway district. *Annals of Scottish Natural History,* **1897**: 124.
Class: Bird
Area: SO

0688 **Godfrey, R.** (1897). Greenshank and other birds in West Lothian. *Annals of Scottish Natural History,* **1897**: 124.
Class: Bird
Area: FO

0689 **Paterson, J. and Robertson, J.** (1897). The Curlew Sandpiper and Marsh Tit in east Renfrewshire. *Annals of Scottish Natural History,* **1897**: 124-125.
Class: Bird
Area: CL

0690 **Service, R.** (1897). Gray Phalarope in the Solway district. *Annals of Scottish Natural History,* **1897**: 125.
Class: Bird
Area: SO

0691 **Macpherson, H.A.** (1897). Little Gull on the west coast of Scotland. *Annals of Scottish Natural History,* **1897**: 125.
Class: Bird
Area: SO

0692 **Evans, W.** (1897). Little Auks in the Forth. *Annals of Scottish Natural History,* **1897**: 125-126.
Class: Bird
Area: FO

0693 **Paterson, J.** (1897). Little Auk in Renfrewshire. *Annals of Scottish Natural History,* **1897**: 126.
Class: Bird
Area: CL

0694 **Hinxman, L.W.** (1897). Report on the movements and occurrence of birds in Scotland during 1896. *Annals of Scottish Natural History,* **1897**: 137-151.
Class: Bird
Area: SO TW CL FO TA DE MO CS AG IH OH OR SH

0695 **Fairbairn, A.** (1897). A List of some of the rarer birds found in the upper reaches of the valley of the Ayr. *Annals of Scottish Natural History,* **1897**: 151-153.
Class: Bird
Area: CL

0696 **Briggs, A.** (1897). Bird notes from North Ronaldshay, Orkney. *Annals of Scottish Natural History,* **1897**: 153-160.
Class: Bird
Area: OR

0697 **Lee, O.A.J.** (1897). Notes on the nesting of the Great Crested Grebe (*Podicipes cristatus*) in the valley of the Forth. *Annals of Scottish Natural History,* **1897**: 161-163.
Class: Bird
Area: FO

0698 **MacKenzie, W.** (1897). The Hedgehog in Sutherland. *Annals of Scottish Natural History,* **1897**: 191.
Class: Mamm
Area: CS

0699 **Editorial note.** (1897). Badger (*Meles taxus*, Schreb.) in Stirlingshire. *Annals of Scottish Natural History,* **1897**: 191.
Class: Mamm
Area: FO

0700 **Gilmour, T.F.** (1897). Long-eared and Pipistrelle Bats in Islay. *Annals of Scottish Natural History,* **1897**: 191.
Class: Mamm
Area: AG IH

0701 **Serle, W.** (1897). Osprey (*Pandion haliaetus*) near Peterhead. *Annals of Scottish Natural History,* **1897**: 192.
Class: Bird
Area: DE

0702 **Buckley, T.E.** (1897). Bittern at Invergarry. *Annals of Scottish Natural History,* **1897**: 192.
Class: Bird
Area: MO

0703 **Service, R.** (1897). The White-fronted Goose [and other geese] in the Solway. *Annals of Scottish Natural History,* **1897**: 192.
Class: Bird
Area: SO

0704 **Buckley, T.E.** (1897). Goosander and Scaup in Sutherlandshire. *Annals of Scottish Natural History,* **1897**: 192-193.
Class: Bird
Area: CS

0705 **Small, W.** (1897). Grebes in the Forth district. *Annals of Scottish Natural History,* **1897**: 193.
Class: Bird
Area: FO

0706 **Paterson, J.** (1897). House-Martin in Wigtownshire in March. *Annals of Scottish Natural History,* **1897**: 193.
Class: Bird
Area: Gen SO

0707 **Campbell, B.** (1897). Goldfinch in Midlothian. *Annals of Scottish Natural History,* **1897**: 193.
Class: Bird
Area: FO

0708 **Evans, W.** (1897). Nesting of the Grasshopper Warbler (*Locustella naevia*) in "Upper Forth". *Annals of Scottish Natural History,* **1897**: 193-194.
Class: Bird
Area: FO

0709 **Evans, W.** (1897). The Little Gull (*Larus minutus*) in East Lothian in May. *Annals of Scottish Natural History,* **1897**: 194.
Class: Bird
Area: FO

0710 **Service, R.** (1897). The Fulmar on the Solway. *Annals of Scottish Natural History,* **1897**: 194.
Class: Bird
Area: SO

0711 **Gibson, J.D.W.** (1897). The birds of Carmichael parish, with notes on rarer species in the upper ward of Lanarkshire. *Annals of Scottish Natural History,* **1897**: 201-219.
Class: Bird
Area: CL

0712 **Macpherson, H.A.** (1897). The Spotted Redshank on the Solway Firth. *Annals of Scottish Natural History,* **1897**: 219-222.
Class: Bird
Area: SO

0713 **Service, R.** (1897). Tufted Duck in Solway. *Annals of Scottish Natural History,* **1897**: 222-224.
Class: Bird
Area: SO

0714 **Traquair, R.H.** (1897). Rare British animals recently added to the Edinburgh Museum of Science and Art. *Annals of Scottish Natural History,* **1897**: 224-226.
Class: Bird Fish
Area: SO FO DE NW AG IH OL SH

0715 **Campbell, C.** (1897). Daubenton's Bat in Argyleshire. *Annals of Scottish Natural History,* **1897**: 248.
Class: Mamm
Area: AG

0716 **Taylor, W.** (1897). On the supposed occurrence of the Harvest Mouse in Moray. *Annals of Scottish Natural History,* **1897**: 249.
Class: Mamm
Area: MO

0717 **MacRury, J.** (1897). Sperm Whale in South Uist. *Annals of Scottish Natural History,* **1897**: 249.
Class: Mamm
Area: OH

0718 **Service, R.** (1897). The Pied Flycatcher in Dumfriesshire. *Annals of Scottish Natural History,* **1897**: 249.
Class: Bird
Area: SO

0719 **Orde, J.W.P.C.** (1897). Swifts in the Outer Hebrides. *Annals of Scottish Natural History,* **1897**: 250.
Class: Bird
Area: OH

0720 **Watt, H.B.** (1897). Alpine Swift in Scotland. *Annals of Scottish Natural History,* **1897**: 250.
Class: Bird
Area: TA

0721 **Dunbar, L.** (1897). Bee-eater in Caithness. *Annals of Scottish Natural History,* **1897**: 250.
Class: Bird
Area: CS

0722 **Godfrey, R.** (1897). Cuckoo in Shetland. *Annals of Scottish Natural History,* **1897**: 250-251.
Class: Bird
Area: SH

0723 **Sim, G.** (1897). Red-footed Falcon in Aberdeenshire. *Annals of Scottish Natural History,* **1897**: 251.
Class: Bird
Area: DE

0724 **Editorial note.** (1897). [Red-footed Falcon in Forth and Tweed]. *Annals of Scottish Natural History,* **1897**: 251.
Class: Bird
Area: TW FO

0725 **Godfrey, R.** (1897). Merlin nesting in tree in Midlothian. *Annals of Scottish Natural History,* **1897**: 251-252.
Class: Bird
Area: FO

0726 **Brown, J.** (1897). Honey Buzzards in Moray. *Annals of Scottish Natural History,* **1897**: 252.
Class: Bird
Area: MO

0727 **Laidlaw, T.G.** (1897). Pintail in the Forth district. *Annals of Scottish Natural History,* **1897**: 252.
Class: Bird
Area: FO

0728 **Godfrey, R.** (1897). Tufted Duck, Scaup, and Golden-eye in Orkney in summer. *Annals of Scottish Natural History,* **1897**: 252.
Class: Bird
Area: OR

0729 **Anderson, P.** (1897). Common Scoter breeding in the Inner Hebrides. *Annals of Scottish Natural History,* **1897**: 252.
Class: Bird
Area: AG IH

0730 **Paterson, J.** (1897). The Brent Goose in the "Clyde" area. *Annals of Scottish Natural History,* **1897**: 252-254.
Class: Bird
Area: CL

0731 **Burn-Murdoch, A.** (1897). Turtle Dove in Argyll. *Annals of Scottish Natural History,* **1897**: 254.
Class: Bird
Area: AG

0732 **Ross, D.M.** (1897). Capercailzie in the mid-Deveron district. *Annals of Scottish Natural History,* **1897**: 254.
Class: Bird
Area: DE MO

0733 **Buckley, T.E.** (1897). Iceland Gull in the Outer Hebrides. *Annals of Scottish Natural History,* **1897**: 254.
Class: Bird
Area: OH

0734 **Harvie-Brown, J.A.** (1897). Buffon's Skua (*Stercorarius parasiticus*) in Moray. *Annals of Scottish Natural History,* **1897**: 254.
Class: Bird
Area: MO

0735 **Clarke, W.E.** (1897). Fulmar Petrels at Cape Wrath in the breeding season. *Annals of Scottish Natural History,* **1897**: 254-255.
Class: Bird
Area: CS

0736 **Sim, G.** (1897). *Molva abyssorum* in British waters. *Annals of Scottish Natural History,* **1897**: 255.
Class: Fish
Area: OL

0737 **Evans, W.** (1897). *Liparis montagui* (Donov.) in "Forth". *Annals of Scottish Natural History,* **1897**: 255-256.
Class: Fish
Area: FO

0738 **Harvie-Brown, J.A.** (1898). On the minor faunal areas. *Annals of Scottish Natural History,* **1898**: 8-16.
Class: Mamm Bird
Area: Gen

0739 **Clarke, W.E.** (1898). On hybrids between the Capercaillie and the Pheasant. *Annals of Scottish Natural History,* **1898**: 17-21.
Class: Bird
Area: Gen CL DE AG

0740 **Adair, P.** (1898). Notes on the birds of Ettrick. *Annals of Scottish Natural History,* **1898**: 21-27.
Class: Bird
Area: TW

0741 **Sim, G.** (1898). Harvest Mouse in Moray. *Annals of Scottish Natural History,* **1898**: 46-47.
Class: Mamm
Area: MO

0742 **Evans, W.** (1898). Harvest Mouse in Moray. *Annals of Scottish Natural History,* **1898**: 47.
Class: Mamm
Area: MO

0743 **Taylor, W.** (1898). The Common Dolphin and the Bottle-nosed Dolphin in the Moray Firth. *Annals of Scottish Natural History,* **1898**: 47.
Class: Mamm
Area: MO

0744 **Gibson, J.D.W.** (1898). Notes on the birds of Carmichael, etc. *Annals of Scottish Natural History,* **1898**: 47-48.
Class: Bird
Area: CL

0745 **Godfrey, R.** (1898). Jay in East Lothian. *Annals of Scottish Natural History,* **1898**: 48.
Class: Bird
Area: FO

0746 **Stuart, C.** (1898). The Jay in Berwickshire. *Annals of Scottish Natural History,* **1898**: 48-49.
Class: Bird
Area: TW

0747 **Service, R.** (1898). The Jay in Dumfriesshire. *Annals of Scottish Natural History,* **1898**: 49.
Class: Bird
Area: SO

0748 **Fowler, J.A.** (1898). Rose-coloured Pastor in West Ross-shire. *Annals of Scottish Natural History,* **1898**: 49.
Class: Bird
Area: NW

0749 **Campbell, C.** (1898). Partial albinism in the Robin at Dalmeny. *Annals of Scottish Natural History,* **1898**: 49.
Class: Bird
Area: Gen FO

0750 **Armstrong, R.** (1898). The Pied Flycatcher, etc., in mid-Nithsdale. *Annals of Scottish Natural History,* **1898**: 49.
Class: Bird
Area: SO

0751 **Editorial note.** (1898). Waxwings in Banffshire. *Annals of Scottish Natural History,* **1898**: 50.
Class: Bird
Area: MO

0752 **Brown, J.** (1898). Waxwing in Elginshire. *Annals of Scottish Natural History,* **1898**: 50.
Class: Bird
Area: MO

0753 **Small, R.** (1898). Waxwing in the Cairngorm district. *Annals of Scottish Natural History,* **1898**: 50.
Class: Bird
Area: MO

0754 **Irby, L.H.** (1898). Long-eared Owl in the Outer Hebrides. *Annals of Scottish Natural History,* **1898**: 50.
Class: Bird
Area: OH

0755 **Sim, G.** (1898). Dark form of the Barn Owl in Kincardineshire. *Annals of Scottish Natural History,* **1898**: 50.
Class: Bird
Area: DE

0756 **Sim, G.** (1898). The Lesser Kestrel in Aberdeenshire. *Annals of Scottish Natural History,* **1898**: 51.
Class: Bird
Area: DE

0757 **Maxwell, H** (1898). The Scaup in inland waters. *Annals of Scottish Natural History,* **1898**: 51-52.
Class: Bird
Area: Gen SO

0758 **Maxwell, H** (1898). [Great Crested Grebe, Pochard, Tufted Duck, and possibly Scaup, breeding in Wigtownshire]. *Annals of Scottish Natural History,* **1898**: 51-52.
Class: Bird
Area: SO

0759 **Service, R.** (1898). Long-tailed Duck in Kirkcudbrightshire. *Annals of Scottish Natural History,* **1898**: 52.
Class: Bird
Area: SO

0760 **Macpherson, H.A.** (1898). Long-tailed Duck in Dumfriesshire. *Annals of Scottish Natural History,* **1898**: 52.
Class: Bird
Area: SO

0761 **Buckley, T.E.** (1898). Hybrid Capercaillie and Black Cock near Inverness. *Annals of Scottish Natural History,* **1898**: 52.
Class: Bird
Area: MO

0762 **Kirk, C.** (1898). Water Rail breeding near Glasgow. *Annals of Scottish Natural History,* **1898**: 52.
Class: Bird
Area: CL

0763 **Paterson, J.** (1898). Sabine's Gull in Arran. *Annals of Scottish Natural History,* **1898**: 52-53.
Class: Bird
Area: CL

0764 **Kirk, C.** (1898). Great Northern Diver at St. Abb's Head. *Annals of Scottish Natural History,* **1898**: 53.
Class: Bird
Area: TW

0765 **Brown, J.** (1898). Leach's Petrel and Little Auk in Moray. *Annals of Scottish Natural History,* **1898**: 53.
Class: Bird
Area: MO

0766 **Macpherson. H.A.** (1898). Germon in the Solway Firth. *Annals of Scottish Natural History,* **1898**: 53.
Class: Fish
Area: SO

0767 **Macpherson. H.A.** (1898). Scad in the Solway Firth. *Annals of Scottish Natural History,* **1898**: 53.
Class: Fish
Area: SO

0768 **Sim, G.** (1898). Scabbard Fish in Scottish waters. *Annals of Scottish Natural History,* **1898**: 53-54.
Class: Fish
Area: OH

0769 **Dobbie, J.B.** (1898). A contribution to the avifauna of West Ross-shire. *Annals of Scottish Natural History,* **1898**: 65-75.
Class: Bird
Area: NW

0770 **MacRury, J.** (1898). The birds of the Island of Barra - additions and notes. *Annals of Scottish Natural History,* **1898**: 75-77.
Class: Bird
Area: OH

0771 **Traquair, R.H.** (1898). On a peculiar Charr from Inverness-shire. *Annals of Scottish Natural History,* **1898**: 78-79.
Class: Fish
Area: MO

0772 **Clarke, W.E.** (1898). Lesser Shrew in Tiree. *Annals of Scottish Natural History,* **1898**: 111-112.
Class: Mamm
Area: AG IH

0773 **Kinnear, N.B.** (1898). The Badger in Kirkcudbrightshire. *Annals of Scottish Natural History,* **1898**: 112.
Class: Mamm
Area: SO

0774 **Taylor, J.M.B.** (1898). The Harvest Mouse in Renfrewshire. *Annals of Scottish Natural History,* **1898**: 112.
Class: Mamm
Area: CL

0775 **Taylor, W.** (1898). The White-beaked Dolphin in the Moray Firth in January. *Annals of Scottish Natural History,* **1898**: 112-113.
Class: Mamm
Area: MO

0776 **Taylor, W.** (1898). *Hyperoodon rostrata* in the Moray Firth. *Annals of Scottish Natural History,* **1898**: 113.
Class: Mamm
Area: MO

0777 **Paterson, J.** (1898). An old note on Ailsa Craig. *Annals of Scottish Natural History,* **1898**: 113.
Class: Mamm Bird
Area: CL

0778 **Maxwell, H.** (1898). Jays in Scotland. *Annals of Scottish Natural History,* **1898**: 114.
Class: Bird
Area: SO TW

0779 **Paterson, J.** (1898). The Garden Warbler south of the Grampians. *Annals of Scottish Natural History,* **1898**: 114.
Class: Bird
Area: SO CL FO

0780 **Clarke, W.E.** (1898). Hawfinch in Midlothian. *Annals of Scottish Natural History,* **1898**: 114-115.
Class: Bird
Area: FO

0781 **Godfrey, J.** (1898). Goldfinch in Caithness. *Annals of Scottish Natural History,* **1898**: 115.
Class: Bird
Area: CS

0782 **Evans, W.** (1898). Goldfinch in mid-Perth. *Annals of Scottish Natural History,* **1898**: 115.
Class: Bird
Area: TA

0783 **Paterson, J. and Robertson, J.** (1898). Chiffchaff, Wood Wren, and Black-throated Diver in east Renfrewshire. *Annals of Scottish Natural History,* **1898**: 115.
Class: Bird
Area: CL

0784 **Paterson, J.** (1898). Waxwing in Ayrshire. *Annals of Scottish Natural History,* **1898**: 115.
Class: Bird
Area: CL

0785 **Evans, W.** (1898). Waxwing in the Lothians. *Annals of Scottish Natural History,* **1898**: 116.
Class: Bird
Area: FO

0786 **Lumsden, J.** (1898). Waxwings at Loch Lomond. *Annals of Scottish Natural History,* **1898**: 116.
Class: Bird
Area: CL

0787 **Campbell, C.** (1898). A Cuckoo in captivity. *Annals of Scottish Natural History,* **1898**: 116.
Class: Bird
Area: Gen SO FO

0788 **Bolam, G.** (1898). Red-footed Falcon (*Falco vespertinus*, Linn.) in Scotland. *Annals of Scottish Natural History,* **1898**: 116.
Class: Bird
Area: Gen TW

0789 **Anderson, P.** (1898). Wild Geese migrating at a great height. *Annals of Scottish Natural History,* **1898**: 116-117.
Class: Bird
Area: Gen AG IH

0790 **Lumsden, J.** (1898). Shelduck carrying its young. *Annals of Scottish Natural History,* **1898**: 117.
Class: Bird
Area: Gen CL

0791 **Buckley, T.E.** (1898). Gadwall in Moray. *Annals of Scottish Natural History,* **1898**: 117.
Class: Bird
Area: MO

0792 **Lumsden, J.** (1898). Hybrids between Capercaillie and Pheasant. *Annals of Scottish Natural History,* **1898**: 117.
Class: Bird
Area: Gen CL

0793 **Clarke, W.E.** (1898). [Hybrids between Capercaillie and Pheasant]. *Annals of Scottish Natural History,* **1898**: 116-117.
Class: Bird
Area: Gen MO

0794 **Harvie-Brown, J.A.** (1898). Capercaillie in S.E. Lanarkshire. *Annals of Scottish Natural History,* **1898**: 118.
Class: Bird
Area: CL

0795 **Buckley, T.E.** (1898). Great Skua in the Moray Firth. *Annals of Scottish Natural History,* **1898**: 118.
Class: Bird
Area: MO

0796 **Turner, W.** (1898). Early man in Scotland. *Annals of Scottish Natural History,* **1898**: 129-146, 193-199.
Class: Mamm
Area: Gen SO FO TA CS AG IH OH

0797 **Clarke, W.E.** (1898). The protection of wild birds and their eggs in Scotland. *Annals of Scottish Natural History,* **1898**: 146-152.
Class: Bird
Area: Gen

0798 **Anderson, P.** (1898). On birds observed in the Island of Tiree. *Annals of Scottish Natural History,* **1898**: 153-161.
Class: Bird
Area: AG IH

0799 **Evans, W.** (1898). On the nesting of the Pintail (*Dafila acuta*) in the "Forth" area. *Annals of Scottish Natural History,* **1898**: 162-164.
Class: Bird
Area: FO

0800 **Simpson, J.** (1898). Note on a female Gray Seal obtained on the east coast of Sutherland. *Annals of Scottish Natural History,* **1898**: 177.
Class: Mamm
Area: CS

0801 **Taylor, W.** (1898). Notes on dolphins in the Moray Firth. *Annals of Scottish Natural History,* **1898**: 177.
Class: Mamm
Area: MO

0802 **Godfrey, R.** (1898). Late stay of Fieldfares in Midlothian. *Annals of Scottish Natural History,* **1898**: 178.
Class: Bird
Area: FO

0803 **Clarke, W.E.** (1898). The Whinchat, Ortolan Bunting, and Pied Flycatcher in Shetland. *Annals of Scottish Natural History,* **1898**: 178.
Class: Bird
Area: SH

0804 **Henderson, T.** (1898). Remarkable visitation of migratory birds to Shetland. *Annals of Scottish Natural History,* **1898**: 178-179.
Class: Bird
Area: SH

0805 **Paterson, J.** (1898). The Blue-headed Wagtail in Lanarkshire. *Annals of Scottish Natural History,* **1898**: 179.
Class: Bird
Area: CL

0806 **Dewar, T.F. and Dewar, W.J.** (1898). Golden Oriole in Forfarshire. *Annals of Scottish Natural History,* **1898**: 179-180.
Class: Bird
Area: TA

0807 **Dewar, T.F.** (1898). Red-backed Shrike in Forfarshire. *Annals of Scottish Natural History,* **1898**: 180.
Class: Bird
Area: TA

0808 **Clarke, W.E.** (1898). [Red-backed Shrike in East Lothian]. *Annals of Scottish Natural History,* **1898**: 180.
Class: Bird
Area: FO

0809 **Campbell, B.** (1898). The Goldfinch in West Lothian. *Annals of Scottish Natural History,* **1898**: 180.
Class: Bird
Area: FO

0810 **Service, R.** (1898). Note on the Siskin in Kirkcudbright. *Annals of Scottish Natural History,* **1898**: 180.
Class: Bird
Area: SO

0811 **Dobbie, J.B.** (1898). Curious nesting-site of the Marsh Titmouse. *Annals of Scottish Natural History,* **1898**: 180-181.
Class: Bird
Area: Gen CL

0812 **Godfrey, R.** (1898). Hybrid crows in the Forth area. *Annals of Scottish Natural History,* **1898**: 181.
Class: Bird
Area: Gen FO TA

0813 **Service, R.** (1898). The Jay in Dumfriesshire and Kirkcudbright. *Annals of Scottish Natural History,* **1898**: 181-182.
Class: Bird
Area: SO

0814 **Traill, A.L.** (1898). Wryneck at the Island of Foula, Shetland. *Annals of Scottish Natural History,* **1898**: 182.
Class: Bird
Area: SH

0815 **Small, R.** (1898). Hoopoe at the Isle of May. *Annals of Scottish Natural History,* **1898**: 182.
Class: Bird
Area: FO

0816 **Laidlaw, T.G.** (1898). Great Spotted Woodpecker in Peeblesshire. *Annals of Scottish Natural History,* **1898**: 182.
Class: Bird
Area: TW

0817 **Service, R.** (1898). The Marsh Harrier in Dumfriesshire. *Annals of Scottish Natural History,* **1898**: 182.
Class: Bird
Area: SO

0818 **Editorial note.** (1898). Iceland Falcon in Shetland. *Annals of Scottish Natural History,* **1898**: 182.
Class: Bird
Area: SH

0819 **Editorial note.** (1898). Destruction of Ospreys. *Annals of Scottish Natural History,* **1898**: 182-183.
Class: Bird
Area: MO

0820 **Craig, A.** (1898). Ring Dove nesting in the city of Edinburgh. *Annals of Scottish Natural History,* **1898**: 183.
Class: Bird
Area: FO

0821 **Godfrey, R.** (1898). Mode of progression of the young Waterhen on land. *Annals of Scottish Natural History,* **1898**: 183.
Class: Bird
Area: Gen CS

0822 **Godfrey, R.** (1898). Early hatching of the Tufted Duck in Caithness. *Annals of Scottish Natural History,* **1898**: 184.
Class: Bird
Area: Gen CS

0823 **Dobbie, J.B.** (1898). The Viper in the Pentlands. *Annals of Scottish Natural History,* **1898**: 184.
Class: Rept
Area: FO

0824 **Laidlaw, T.G.** (1898). Report on the movements and occurrence of birds in Scotland during 1897. *Annals of Scottish Natural History,* **1898**: 200-217.
Class: Bird
Area: SO TW CL FO TA DE MO CS AG IH OH OR SH

0825 **Paterson, J.** (1898). An obscure point in the history of the Cadzow herd of White Cattle. *Annals of Scottish Natural History,* **1898**: 235-236.
Class: Mamm
Area: CL

0826 **Taylor, W.** (1898). Polecat in Elginshire. *Annals of Scottish Natural History,* **1898**: 236.
Class: Mamm
Area: MO

0827 **Taylor, W.** (1898). Lesser Rorqual in the Moray Firth. *Annals of Scottish Natural History,* **1898**: 236.
Class: Mamm
Area: MO

0828 **Paterson, J.** (1898). The Grampus in Clyde. *Annals of Scottish Natural History,* **1898**: 236-237.
Class: Mamm
Area: CL

0829 **Editorial note.** (1898). Prosecution under the Wild Birds' Protection Acts. *Annals of Scottish Natural History,* **1898**: 237.
Class: Bird
Area: Gen TA

0830 **Serle, W.** (1898). Migrant wagtails at Peterhead. *Annals of Scottish Natural History,* **1898**: 237.
Class: Bird
Area: DE

0831 **Serle, W.** (1898). A habit of the Black-headed Gull. *Annals of Scottish Natural History,* **1898**: 237.
Class: Bird
Area: Gen FO

0832 **Noble, H.** (1898). Introduction of the Capercaillie into Inverness-shire. *Annals of Scottish Natural History,* **1898**: 237-238.
Class: Bird
Area: MO

0833 **Godfrey, R.** (1898). Pochard in Midlothian in summer. *Annals of Scottish Natural History,* **1898**: 238.
Class: Bird
Area: FO

0834 **Evans, H.** (1898). The Great Shearwater at St. Kilda. *Annals of Scottish Natural History,* **1898**: 238.
Class: Bird
Area: SK

0835 **Service, R.** (1898). Uncommon fishes in the Solway Firth. *Annals of Scottish Natural History,* **1898**: 239.
Class: Fish
Area: SO

0836 **Evans, W.** (1898). Blue Shark in the Firth of Forth. *Annals of Scottish Natural History,* **1898**: 239.
Class: Fish
Area: FO

0837 **Service, R.** (1898). Spread of the Roach in the Solway district. *Annals of Scottish Natural History,* **1898**: 239.
Class: Fish
Area: SO

0838 **Evans, W.** (1899). Notes on the effects of the recent October gale upon marine life on the coasts of the Lothians. *Annals of Scottish Natural History,* **1899**: 6-11.
Class: Bird Fish
Area: FO

0839 **Campbell, B.** (1899). Notes on the birds of Ballinluig district, Perthshire. *Annals of Scottish Natural History,* **1899**: 11-14.
Class: Bird
Area: TA

0840 **Evans, W.** (1899). Notes on the eggs of the Wood Sandpiper (*Totanus glareola*) taken in Elginshire in 1853. *Annals of Scottish Natural History,* **1899**: 14-16.
Class: Bird
Area: MO

0841 **Macpherson, H.A.** (1899). A note upon the changes of plumage of the Little Gull (*Larus minutus*). *Annals of Scottish Natural History,* **1899**: 16-22.
Class: Bird
Area: Gen SO

0842 **Taylor, W.** (1899). *Phoca groenlandica* on the Aberdeenshire coast. *Annals of Scottish Natural History,* **1899**: 46.
Class: Mamm
Area: DE

0843 **Editorial note.** (1899). Supposed capture of a White Whale in the Tay estuary. *Annals of Scottish Natural History,* **1899**: 46.
Class: Mamm
Area: TA

0844 **Anderson, P.** (1899). Bird notes from Tiree. *Annals of Scottish Natural History,* **1899**: 46-47.
Class: Bird
Area: AG IH

0845 **Campbell, B.** (1899). Goldfinch in West Lothian. *Annals of Scottish Natural History,* **1899**: 47.
Class: Bird
Area: FO

0846 **Bruce, D.** (1899). Hoopoe near Dunbar. *Annals of Scottish Natural History,* **1899**: 47.
Class: Bird
Area: FO

0847 **Fowler, J.A.** (1899). Kingfisher in West Ross-shire. *Annals of Scottish Natural History,* **1899**: 47.
Class: Bird
Area: NW

0848 **Evans, W.** (1899). The Greater Spotted Woodpecker (*Dendrocopus major*) in the south-east of Scotland. *Annals of Scottish Natural History,* **1899**: 47-48 .
Class: Bird
Area: TW FO TA DE CS

0849 **Editorial note.** (1899). [Additional records of the] Great Spotted Woodpecker [in Scotland]. *Annals of Scottish Natural History,* **1899**: 48-49.
Class: Bird
Area: TW TA DE CS

0850 **Sim, G.** (1899). European Hawk-Owl in Aberdeenshire. *Annals of Scottish Natural History,* **1899**: 49.
Class: Bird
Area: DE

0851 **Sim, G.** (1899). Honey Buzzard in Aberdeenshire. *Annals of Scottish Natural History,* **1899**: 49.
Class: Bird
Area: DE

0852 **Serle, W.** (1899). Honey Buzzard at Peterhead. *Annals of Scottish Natural History,* **1899**: 49.
Class: Bird
Area: DE

0853 **Evans, W.** (1899). Rough-legged Buzzards in East Lothian [and north Scotland]. *Annals of Scottish Natural History,* **1899**: 50.
Class: Bird
Area: FO CS

0854 **Evans, W.** (1899). [Short-eared Owls and Fieldfares about Dunbar]. *Annals of Scottish Natural History,* **1899**: 50.
Class: Bird
Area: FO

0855 **Sim, G.** (1899). Garganey and Gadwall in Aberdeenshire. *Annals of Scottish Natural History,* **1899**: 50.
Class: Bird
Area: DE

0856 **Clarke, W.E.** (1899). Remarkable variety of the Black Grouse. *Annals of Scottish Natural History,* **1899**: 50.
Class: Bird
Area: Gen TW

0857 **Bruce, D.** (1899). Spotted Crake at Dunbar. *Annals of Scottish Natural History,* **1899**: 50.
Class: Bird
Area: FO

0858 **Arkwright, W.** (1899). Baillon's Crake in Caithness. *Annals of Scottish Natural History,* **1899**: 50.
Class: Bird
Area: CS

0859 **Walker, J.G.** (1899). Little Bustard in Aberdeenshire. *Annals of Scottish Natural History,* **1899**: 51.
Class: Bird
Area: DE

0860 **Macpherson, H.A.** (1899). Gray Phalarope on the Solway Firth. *Annals of Scottish Natural History,* **1899**: 51.
Class: Bird
Area: SO

0861 **Buckley, T.E.** (1899). Solitary Snipe near Elgin. *Annals of Scottish Natural History,* **1899**: 51.
Class: Bird
Area: DE

0862 **Paterson, J. and Robertson, J.** (1899). Spotted Redshank, Ruff, and Curlew Sandpiper in east Renfrewshire. *Annals of Scottish Natural History,* **1899**: 51-52.
Class: Bird
Area: CL

0863 **Campbell, B.** (1899). A habit of the Black-headed Gull. *Annals of Scottish Natural History,* **1899**: 52.
Class: Bird
Area: Gen FO

0864 **Macpherson, H.A.** (1899). Pomatorhine Skua on the Solway Firth. *Annals of Scottish Natural History,* **1899**: 52.
Class: Bird
Area: SO

0865 **Godfrey, R.** (1899). Pomatorhine Skua in West Lothian. *Annals of Scottish Natural History,* **1899**: 52.
Class: Bird
Area: FO

0866 **Godfrey, R.** (1899). Fulmar Petrel breeding on Noss, Shetland. *Annals of Scottish Natural History,* **1899**: 53.
Class: Bird
Area: SH

0867 **Service, R.** (1899). Some scarce fishes in the Solway. *Annals of Scottish Natural History,* **1899**: 53.
Class: Fish
Area: SO

0868 **Godfrey, R.** (1899). Four-bearded Rockling in the Firth of Forth. *Annals of Scottish Natural History,* **1899**: 53.
Class: Fish
Area: FO

0869 **Sim, G.** (1899). Occurrence of the Black-mouthed Dogfish off Aberdeen. *Annals of Scottish Natural History,* **1899**: 53.
Class: Fish
Area: DE

0870 **Clarke, W.E.** (1899). On the occurrence of the Asiatic Houbara (*Houbara macqueenii*) in Scotland. *Annals of Scottish Natural History,* **1899**: 73-74.
Class: Bird
Area: DE

0871 **Harvie-Brown, J.A.** (1899). Notes on some Scottish Salmonidae. *Annals of Scottish Natural History,* **1899**: 75-84.
Class: Fish
Area: Gen CS NW

0872 **Editorial note.** (1899). Perthshire Natural History Museum: The Wild Birds Protection Acts. *Annals of Scottish Natural History,* **1899**: 107.
Class: Bird
Area: Gen TA

0873 **Paterson, J. and Watt, H.B.** (1899). Badger in Dumbartonshire. *Annals of Scottish Natural History,* **1899**: 107-108.
Class: Mamm
Area: CL

0874 **Service, R.** (1899). Stoats in the winter pelage. *Annals of Scottish Natural History,* **1899**: 108.
Class: Mamm
Area: Gen SO

0875 **Maclauchlan, J.** (1899). Common Dolphins in the Tay estuary. *Annals of Scottish Natural History,* **1899**: 108.
Class: Mamm
Area: TA

0876 **Editorial note.** (1899). [Occurrences of the Common Dolphin in Scotland]. *Annals of Scottish Natural History,* **1899**: 108.
Class: Mamm
Area: FO MO AG IH SH

0877 **Gibson, J.D.W.** (1899). Bird notes from Carmichael, "Clyde" area. *Annals of Scottish Natural History,* **1899**: 109.
Class: Bird
Area: CL

0878 **Alston, C.H.** (1899). Bramblings in Argyllshire. *Annals of Scottish Natural History,* **1899**: 109.
Class: Bird
Area: CL AG

0879 **Clarke, W.E.** (1899). Lesser Whitethroat in the Outer Hebrides. *Annals of Scottish Natural History,* **1899**: 109-110.
Class: Bird
Area: OH

0880 **Service, R.** (1899). Great Gray Shrike in Solway. *Annals of Scottish Natural History,* **1899**: 110.
Class: Bird
Area: SO

0881 **Henderson, T.** (1899). Occurrence of the Black-bellied Dipper in Shetland. *Annals of Scottish Natural History,* **1899**: 110.
Class: Bird
Area: SH

0882 **Fowler, J.A.** (1899). Greater Spotted Woodpecker, Lochbroom, West Ross-shire. *Annals of Scottish Natural History,* **1899**: 110.
Class: Bird
Area: NW

0883 **Service, R.** (1899). Great Spotted Woodpecker in Kirkcudbright. *Annals of Scottish Natural History,* **1899**: 110.
Class: Bird
Area: SO

0884 **Duthie, W.H.M.** (1899). Note on the nesting habits of the Cormorant. *Annals of Scottish Natural History,* **1899**: 110-111.
Class: Bird
Area: Gen CS

0885 **Editorial note.** (1899). Occurrence of the King Eider in the Shetland Islands. *Annals of Scottish Natural History,* **1899**: 111-112.
Class: Bird
Area: SH

0886 **Godfrey, R.** (1899). Water Rail and Frog. *Annals of Scottish Natural History,* **1899**: 112.
Class: Bird Amph
Area: Gen FO

0887 **Campbell, B.** (1899). Lead-poisoning in Pheasants. *Annals of Scottish Natural History,* **1899**: 112.
Class: Bird
Area: Gen FO

0888 **Service, R.** (1899). The Spotted Redshank on the Solway. *Annals of Scottish Natural History,* **1899**: 112-113.
Class: Bird
Area: SO

0889 **Laidlaw, T.G.** (1899). Whimbrel in the Firth of Forth in winter. *Annals of Scottish Natural History,* **1899**: 113.
Class: Bird
Area: FO

0890 **Macpherson, H.A.** (1899). The food of the Brown-headed Gull. *Annals of Scottish Natural History,* **1899**: 113-114.
Class: Bird
Area: Gen

0891 **Macpherson, H.A.** (1899). Iceland Gull near the Solway Firth. *Annals of Scottish Natural History,* **1899**: 114.
Class: Bird
Area: SO

0892 **Farren, W.** (1899). Note on the moulting of the flight feathers in the Divers. *Annals of Scottish Natural History,* **1899**: 114-115.
Class: Bird
Area: Gen

0893 **Peel, C.V.A.** (1899). Occurrence of the Loggerhead Turtle in North Uist. *Annals of Scottish Natural History,* **1899**: 115.
Class: Rept
Area: OH

0894 **Editorial note.** (1899). [Occurrence of the Loggerhead Turtle in Aberdeenshire]. *Annals of Scottish Natural History,* **1899**: 115.
Class: Rept
Area: DE

0895 **Barrett-Hamilton, G.E.H.** (1899). On two recently described mice from St. Kilda. *Annals of Scottish Natural History,* **1899**: 129-140.
Class: Mamm
Area: SK

0896 **Laidlaw, T.G.** (1899). Report on the movements and occurrence of birds in Scotland during 1898. *Annals of Scottish Natural History,* **1899**: 140-158.
Class: Bird
Area: SO TW CL FO TA DE MO CS AG IH OH SK OR SH

0897 **Editorial note.** (1899). Obstacles to the protection of birds' eggs in Scotland. *Annals of Scottish Natural History,* **1899**: 179-180.
Class: Bird
Area: Gen

0898 **Editorial note.** (1899). Prosecution under the Wild Birds Protection Acts. *Annals of Scottish Natural History,* **1899**: 180-181.
Class: Bird
Area: Gen DE

0899 **Editorial note.** (1899). Destruction of Ospreys. *Annals of Scottish Natural History,* **1899**: 181.
Class: Bird
Area: DE AG

0900 **Editorial note.** (1899). Pied Flycatcher in S.E. Scotland. *Annals of Scottish Natural History,* **1899**: 181.
Class: Bird
Area: TW FO

0901 **Editorial note.** (1899). [Pied Flycatcher in Foula, Shetland]. *Annals of Scottish Natural History,* **1899**: 181.
Class: Bird
Area: SH

0902 **Evans, W.** (1899). The Pied Flycatcher in East Lothian, etc. *Annals of Scottish Natural History,* **1899**: 181.
Class: Bird
Area: TW FO

0903 **Cowper, J.** (1899). Golden Oriole in Clackmannanshire. *Annals of Scottish Natural History,* **1899**: 181-182.
Class: Bird
Area: FO

0904 **Service, R.** (1899). Golden Oriole in the "Solway" area. *Annals of Scottish Natural History,* **1899**: 182.
Class: Bird
Area: SO

0905 **Berry, W.** (1899). White-fronted Geese in Fife. *Annals of Scottish Natural History,* **1899**: 182.
Class: Bird
Area: TA

0906 **Editorial note.** (1899). Pochard in the "Clyde" area. A correction. *Annals of Scottish Natural History,* **1899**: 182-183.
Class: Bird
Area: CL

0907 **Harting, J.E.** (1899). King Eider in the Shetlands. *Annals of Scottish Natural History,* **1899**: 183.
Class: Bird
Area: SH

0908 **Macgillivray, W.L.** (1899). Little Auk in Barra in April. *Annals of Scottish Natural History,* **1899**: 183.
Class: Bird
Area: OH

0909 **Traquair, R.H.** (1899). On the occurrence of Risso's Grampus (*Grampus griseus*, Cuv.) on the east coast of Scotland. *Annals of Scottish Natural History,* **1899**: 197-198.
Class: Mamm
Area: FO

0910 **Campbell, J.** (1899). Increase and decrease of certain species of birds in the Tay area. *Annals of Scottish Natural History,* **1899**: 198-206.
Class: Bird
Area: TA

0911 **Irby, L.H.** (1899). Observations on the birds of the Islands of Tiree and Coll. *Annals of Scottish Natural History,* **1899**: 206-210.
Class: Bird
Area: AG IH

0912 **Paterson, J.** (1899). Notes on the Lesser Whitethroat (*Sylvia curruca*, Linn.) as a Clyde species. *Annals of Scottish Natural History,* **1899**: 210-214.
Class: Bird
Area: CL

0913 **Harvie-Brown, J.A.** (1899). Scaup-Duck nesting in Scotland. *Annals of Scottish Natural History,* **1899**: 215-216.
Class: Bird
Area: Gen CS

0914 **Watt, H.B.** (1899). Lesser Rorqual (*Balaenoptera rostrata* (Fabricius)) in the Firth of Clyde. *Annals of Scottish Natural History,* **1899**: 236.
Class: Mamm
Area: CL

0915 **Paterson, J.** (1899). The Bottle-nosed Whale in the Clyde. *Annals of Scottish Natural History,* **1899**: 236-237.
Class: Mamm
Area: CL

0916 **Watt, H.B.** (1899). Bottle-nose Whale (*Hyperoödon rostratus* (Müll.)) at Ayr. *Annals of Scottish Natural History,* **1899**: 237.
Class: Mamm
Area: CL

0917 **Taylor, W.** (1899). The White-sided Dolphin off the east coast of Scotland. *Annals of Scottish Natural History,* **1899**: 237-238.
Class: Mamm
Area: DE

0918 **Watt, H.B.** (1899). Blue Shark (*Carcharius glaucus*) at Ayr. *Annals of Scottish Natural History,* **1899**: 238.
Class: Fish
Area: CL

0919 **Serle, W.** (1899). Pied Flycatcher at Peterhead. *Annals of Scottish Natural History,* **1899**: 238.
Class: Bird
Area: DE

0920 **Serle, W.** (1899). Albino Magpie near Peterhead. *Annals of Scottish Natural History,* **1899**: 238.
Class: Bird
Area: Gen DE

0921 **Serle, W.** (1899). Peculiar variety of Jackdaw near Edinburgh. *Annals of Scottish Natural History,* **1899**: 238.
Class: Bird
Area: Gen FO

0922 **Loudon, W.** (1899). Rose-coloured Starling at North Berwick. *Annals of Scottish Natural History,* **1899**: 238.
Class: Bird
Area: FO

0923 **Paterson, J.** (1899). The White Wagtail (*Motacilla alba*) in Ayrshire. *Annals of Scottish Natural History,* **1899**: 238-239.
Class: Bird
Area: CL

0924 **Harvie-Brown, J.A.** (1899). King Eider in St. Andrews Bay. *Annals of Scottish Natural History,* **1899**: 239.
Class: Bird
Area: TA

0925 **Evans, H.** (1899). Great Shearwaters at St. Kilda. *Annals of Scottish Natural History,* **1899**: 239.
Class: Bird
Area: SK

0926 **Harvie-Brown, J.A.** (1899). [Great Shearwaters in the Outer Hebrides]. *Annals of Scottish Natural History,* **1899**: 239.
Class: Bird
Area: OH SK

0927 **Berry, W.** (1900). A few notes on the working of the Wild Birds Protection Act (1894). *Annals of Scottish Natural History,* **1900**: 1-7.
Class: Bird
Area: Gen TA

0928 **Clarke, W.E.** (1900). The fishes of the Firth of Forth and its tributaries: species added since Dr. Parnell's 'Essay' of 1837. *Annals of Scottish Natural History,* **1900**: 8-17.
Class: Fish
Area: FO

0929 **Stirton, J.** (1900). On the occurrence of the Fox-Shark in the Firth of Forth. *Annals of Scottish Natural History,* **1900**: 17-18.
Class: Fish
Area: FO

0930 **Buckley, T.E.** (1900). Marten in Argyllshire. *Annals of Scottish Natural History,* **1900**: 47.
Class: Mamm
Area: AG

0931 **Taylor, W.** (1900). Long-eared Bat in Elgin. *Annals of Scottish Natural History,* **1900**: 47.
Class: Mamm
Area: MO

0932 **Anderson, P.** (1900). Bird notes from Tiree and Coll. *Annals of Scottish Natural History,* **1900**: 47.
Class: Bird
Area: AG IH

0933 **Mortensen, H.C.C.** (1900). Marked Starlings. *Annals of Scottish Natural History,* **1900**: 47.
Class: Bird
Area: Gen

0934 **Macpherson, H.A.** (1900). Black Redstart in the Solway area. *Annals of Scottish Natural History,* **1900**: 47-48.
Class: Bird
Area: SO

0935 **Mackessach, R.H.** (1900). Grasshopper Warbler nesting in Morayshire. *Annals of Scottish Natural History,* **1900**: 48.
Class: Bird
Area: MO

0936 **Hinxman, L.W.** (1900). Yellow Wagtail at Beauly. *Annals of Scottish Natural History,* **1900**: 48.
Class: Bird
Area: MO

0937 **Service, R.** (1900). Great Gray Shrike in the Solway district. *Annals of Scottish Natural History,* **1900**: 48.
Class: Bird
Area: SO

0938 **Buckley, T.E.** (1900). Kingfisher near the Beauly Firth. *Annals of Scottish Natural History,* **1900**: 48.
Class: Bird
Area: MO

0939 **Editorial note.** (1900). Bee-Eater in Shetland. *Annals of Scottish Natural History,* **1900**: 48-49.
Class: Bird
Area: SH

0940 **Gilmour, T.F.** (1900). The Long-eared Owl in Islay. *Annals of Scottish Natural History,* **1900**: 49.
Class: Bird
Area: AG IH

0941 **Harvie-Brown, J.A.** (1900). Forth. - An old record of the Kite in Fifeshire. *Annals of Scottish Natural History,* **1900**: 49.
Class: Bird
Area: FO TA

0942 **Buckley, T.E.** (1900). Barnacle Goose in the Dornoch Firth. *Annals of Scottish Natural History,* **1900**: 49.
Class: Bird
Area: MO

0943 **Service, R.** (1900). Long-tailed Duck in the Solway district. *Annals of Scottish Natural History,* **1900**: 49-50.
Class: Bird
Area: SO

0944 **Buckley, T.E.** (1900). Smew and White-fronted Goose in Shetland. *Annals of Scottish Natural History,* **1900**: 50.
Class: Bird
Area: SH

0945 **Duthie, W.H.M.** (1900). Red-legged Partridge in Forfarshire. *Annals of Scottish Natural History,* **1900**: 50.
Class: Bird
Area: TA

0946 **Harvie-Brown, J.A.** (1900). Former presence of the Ptarmigan in Rum. *Annals of Scottish Natural History,* **1900**: 50-51.
Class: Bird
Area: NW IH

0947 **Mackenzie, W.D.** (1900). Capercailzie in Strathnairn. *Annals of Scottish Natural History,* **1900**: 51.
Class: Bird
Area: MO

0948 **Buckley, T.E.** (1900). Spotted Crake in Inverness-shire. *Annals of Scottish Natural History,* **1900**: 51.
Class: Bird
Area: MO

0949 **Harvie-Brown, J.A.** (1900). Pratincole near Montrose [and in Shetland]. *Annals of Scottish Natural History,* **1900**: 51.
Class: Bird
Area: TA SH

0950 **Buckley, T.E.** (1900). Albino Lapwing in Inverness-shire. *Annals of Scottish Natural History,* **1900**: 51.
Class: Bird
Area: Gen MO

0951 **Paterson, J. and Robertson, J.** (1900). Spotted Redshank and Black-tailed Godwit in east Renfrewshire. *Annals of Scottish Natural History,* **1900**: 51-52.
Class: Bird
Area: CL

0952 **Laidlaw, T.G.** (1900). Black Tern in the Firth of Forth. *Annals of Scottish Natural History,* **1900**: 52.
Class: Bird
Area: FO

0953 **Taylor, W.** (1900). Sharks in the Moray Firth. *Annals of Scottish Natural History,* **1900**: 52.
Class: Fish
Area: MO

0954 **Watt, H.B.** (1900). Larger Spotted Dog-fish in "Clyde". *Annals of Scottish Natural History,* **1900**: 52-53.
Class: Fish
Area: CL

0955 **Elliot, A.** (1900). Destruction of hibernating Tortoise-shell Butterflies by the Common Wren. *Annals of Scottish Natural History,* **1900**: 53.
Class: Bird
Area: Gen TW

0956 **Taylor, W.** (1900). Notes on the marine mammals of the north-east of Scotland. *Annals of Scottish Natural History,* **1900**: 65-69.
Class: Mamm
Area: MO CS SH

0957 **Laidlaw, T.G.** (1900). Report on the movements and occurrence of birds in Scotland during 1899. *Annals of Scottish Natural History,* **1900**: 70-87.
Class: Bird
Area: SO TW CL FO TA DE MO CS NW AG IH OH SK OR SH

0958 **Traquair, R.H.** (1900). Ichthyological notes. *Annals of Scottish Natural History,* **1900**: 87-90.
Class: Fish
Area: Gen FO DE

0959 **Evans, H.** (1900). The Weasel in Jura. *Annals of Scottish Natural History,* **1900**: 119.
Class: Mamm
Area: AG IH

0960 **Campbell, C.** (1900). Badgers in the Lothians. *Annals of Scottish Natural History,* **1900**: 119-120.
Class: Mamm
Area: FO

0961 **Service, R.** (1900). Ornithological notes from "Solway". *Annals of Scottish Natural History,* **1900**: 120-121.
Class: Bird
Area: SO

0962 **Sim, G.** (1900). Black Redstart at Aberdeen. *Annals of Scottish Natural History,* **1900**: 121.
Class: Bird
Area: DE

0963 **Davidson, R.G.** (1900). Blackcap in Perthshire in December. *Annals of Scottish Natural History,* **1900**: 121.
Class: Bird
Area: Gen TA

0964 **Macgillivray, W.L.** (1900). Chiff-chaff in Barra. *Annals of Scottish Natural History,* **1900**: 121.
Class: Bird
Area: OH

0965 **Macgillivray, W.L.** (1900). Long-eared Owl in Barra. *Annals of Scottish Natural History,* **1900**: 121.
Class: Bird
Area: OH

0966 **Elliot, A.** (1900). Tameness of Herons. *Annals of Scottish Natural History,* **1900**: 121-122.
Class: Bird
Area: Gen TW

0967 **Harvie-Brown, J.A.** (1900). Bitterns in Stirlingshire. *Annals of Scottish Natural History,* **1900**: 122.
Class: Bird
Area: FO

0968 **Paterson, J.** (1900). The Bittern in Ayrshire. *Annals of Scottish Natural History,* **1900**: 122.
Class: Bird
Area: CL

0969 **Buckley, T.E.** (1900). Bittern in Nairn. *Annals of Scottish Natural History,* **1900**: 122.
Class: Bird
Area: MO

0970 **Macpherson, H.A.** (1900). Gray Geese on the Solway Firth. *Annals of Scottish Natural History,* **1900**: 122.
Class: Bird
Area: SO

0971 **Evans, W.** (1900). Pintails at Edenmouth. *Annals of Scottish Natural History,* **1900**: 123.
Class: Bird
Area: TA

0972 **Paterson, J.** (1900). Iceland Gull in Bute. *Annals of Scottish Natural History,* **1900**: 123.
Class: Bird
Area: CL

0973 **Bruce, W.S.** (1900). Little Auk at Portobello. *Annals of Scottish Natural History,* **1900**: 123.
Class: Bird
Area: FO

0974 **Johnston, T.N.** (1900). Little Auk at Corstorphine. *Annals of Scottish Natural History,* **1900**: 123.
Class: Bird
Area: FO

0975 **Campbell, C.** (1900). The Little Auk on Dalmeny shores. *Annals of Scottish Natural History,* **1900**: 123.
Class: Bird
Area: FO

0976 **Editorial note.** (1900). [Little Auks in Forth]. *Annals of Scottish Natural History,* **1900**: 123.
Class: Bird
Area: FO

0977 **Macpherson, H.A.** (1900). Little Auk on the Solway Firth. *Annals of Scottish Natural History,* **1900**: 123.
Class: Bird
Area: SO

0978 **Scott, T.** (1900). The dog-fishes of the "Clyde" waters, and a correction. *Annals of Scottish Natural History,* **1900**: 123-124.
Class: Fish
Area: CL

0979 **Taylor, W.** (1900). Notes on the land mammals of the Moray Firth area. *Annals of Scottish Natural History,* **1900**: 137-142.
Class: Mamm
Area: MO

0980 **Newton, A.** (1900). The Great Shearwater in Scottish waters. *Annals of Scottish Natural History,* **1900**: 142-147.
Class: Bird
Area: NW IH OH SK OL

0981 **Simpson, A.N.** (1900). Contribution to the ornithology of Kincardineshire. *Annals of Scottish Natural History,* **1900**: 147-153, 197-202.
Class: Bird
Area: TA DE

0982 **Scott, T.** (1900). On copepods living in the nostrils of fishes. *Annals of Scottish Natural History,* **1900**: 153-155.
Class: Fish
Area: Gen SO CL FO MO

0983 **Taylor, J.M.B.** (1900). The Black Rat in Orkney. *Annals of Scottish Natural History,* **1900**: 181-182.
Class: Mamm
Area: OR

0984 **Campbell, C.** (1900). Remarkable flocking of Starlings to Cramond Island. *Annals of Scottish Natural History,* **1900**: 182-183.
Class: Bird
Area: FO

0985 **Evans, W.** (1900). Goldfinch in Clackmannanshire. *Annals of Scottish Natural History,* **1900**: 183.
Class: Bird
Area: FO

0986 **Alexander, E.** (1900). Tree Sparrow in Midlothian. *Annals of Scottish Natural History,* **1900**: 183.
Class: Bird
Area: FO

0987 **Tunnard, C.C.** (1900). Red-backed Shrike in East Lothian. *Annals of Scottish Natural History,* **1900**: 183.
Class: Bird
Area: FO

0988 **Clarke, W.E.** (1900). Chiffchaff near Edinburgh. *Annals of Scottish Natural History,* **1900**: 183-184.
Class: Bird
Area: FO

0989 **Skirving, R.S.** (1900). Owls in Islay. *Annals of Scottish Natural History,* **1900**: 184.
Class: Mamm Bird
Area: AG IH

0990 **Clarke, W.E.** (1900). Scops Owl in Shetland. *Annals of Scottish Natural History,* **1900**: 184.
Class: Bird
Area: SH

0991 **Buckley, T.E.** (1900). Iceland Falcon in Skye. *Annals of Scottish Natural History,* **1900**: 184.
Class: Bird
Area: NW IH

0992 **Canch, T.R.** (1900). Ruff in Orkney. *Annals of Scottish Natural History,* **1900**: 184-185.
Class: Bird
Area: OR

0993 **Godfrey, R.** (1900). Little Auk at Bo'ness. *Annals of Scottish Natural History,* **1900**: 185.
Class: Bird
Area: FO

0994 **Taylor, J.M.B.** (1900). Common or Ringed Snake in Renfrewshire. *Annals of Scottish Natural History,* **1900**: 185.
Class: Rept
Area: CL

0995 **Editorial note.** (1900). Electric Ray or "Torpedo" in the Moray Firth. *Annals of Scottish Natural History,* **1900**: 185.
Class: Fish
Area: MO

0996 **Duthie, W.H.M.** (1900). The Greylags of Blair Drummond. *Annals of Scottish Natural History,* **1900**: 193-196.
Class: Bird
Area: TA OH

0997 **Clarke, W.E.** (1900). The fishes of the Firth of Forth and its tributaries: No. II. Further additions and occurrences of rare species since Dr. Parnell's "Essay" of 1837. *Annals of Scottish Natural History,* **1900**: 202-215.
Class: Fish
Area: FO

0998 **Gray, A.** (1900). Great Gray Seal at Cumbrae. *Annals of Scottish Natural History,* **1900**: 243-244.
Class: Mamm
Area: CL

0999 **Watt, H.B.** (1900). The White-beaked Dolphin (*Lagenorhynchus albirostris*, Gray) in Bute, with remarks on the dolphins of the Clyde waters. *Annals of Scottish Natural History,* **1900**: 244-245.
Class: Mamm
Area: CL

1000 **Buckley, T.E.** (1900). Ornithological notes from Orkney. *Annals of Scottish Natural History,* **1900**: 245-246.
Class: Bird
Area: OR

1001 **Paterson, J.** (1900). Chiffchaff in "Clyde". *Annals of Scottish Natural History,* **1900**: 246.
Class: Bird
Area: CL

1002 **Buckley, T.E.** (1900). Hybrid Capercaillie and Blackcock. *Annals of Scottish Natural History,* **1900**: 246-247.
Class: Bird
Area: Gen MO

1003 **Harvie-Brown, J.A.** (1900). Great Snipe in Stirlingshire. *Annals of Scottish Natural History,* **1900**: 247.
Class: Bird
Area: FO

1004 **Editorial note.** (1900). The Society for the Protection of Birds: The protection of the Great Skua in Shetland. *Annals of Scottish Natural History,* **1900**: 247-248.
Class: Bird
Area: SH

1005 **Editorial note.** (1900). Occurrence of the Long-finned Tunny off the Orkney Islands. *Annals of Scottish Natural History,* **1900**: 248.
Class: Fish
Area: OR

1006 **Scott, T.** (1900). The occurrence of *Labrax lupus* at the Bay of Nigg, near Aberdeen. *Annals of Scottish Natural History,* **1900**: 248-249.
Class: Fish
Area: DE

1007 **Scott, T.** (1900). The occurrence of *Mugil chelo* in the Bay of Nigg, near Aberdeen. *Annals of Scottish Natural History,* **1900**: 249.
Class: Fish
Area: DE

1008 **Scott, T.** (1900). The occurrence of *Clupea alosa* in the Bay of Nigg, near Aberdeen. *Annals of Scottish Natural History,* **1900**: 249.
Class: Fish
Area: DE

MAMMALS

SCOTLAND - GENERAL
0009 0024 0041 0055 0057 0070 0079 0082 0089 0101 0131 0132
0134 0140 0142 0156 0218 0226 0227 0235 0268 0271 0324 0369
0377 0404 0442 0464 0539 0559 0679 0738 0796 0874

SOLWAY
0070 0104 0200 0218 0227 0235 0243 0272 0273 0319 0339 0369
0395 0410 0420 0564 0627 0679 0773 0796 0874

TWEED
0008 0017 0070 0090 0119 0218 0235 0319 0370 0394 0395 0398
0410 0464 0564 0573 0679

CLYDE
0041 0070 0175 0178 0192 0218 0235 0270 0395 0506 0538 0630
0631 0632 0679 0683 0774 0777 0825 0828 0873 0914 0915 0916
0998 0999

FORTH
0017 0019 0070 0084 0179 0180 0202 0225 0235 0377 0396 0404
0556 0558 0573 0679 0681 0699 0796 0876 0909 0960

TAY
0008 0017 0019 0024 0040 0055 0057 0070 0084 0105 0121 0127
0142 0147 0235 0242 0473 0577 0679 0796 0843 0875

DEE
0017 0120 0147 0235 0436 0486 0504 0679 0842 0917

MORAY
0001 0008 0017 0019 0023 0028 0029 0069 0070 0140 0224 0235
0322 0324 0505 0616 0633 0651 0679 0682 0716 0741 0742 0743
0775 0776 0801 0826 0827 0876 0931 0956 0979

CAITHNESS AND SUTHERLAND
0013 0017 0070 0084 0147 0235 0269 0302 0343 0344 0371 0679
0682 0698 0796 0800 0956

NORTH-WEST HIGHLANDS
0001 0007 0175 0235 0442 0485 0679

ARGYLL
0070 0175 0235 0266 0268 0323 0368 0372 0507 0508 0540 0557
0578 0615 0630 0650 0679 0700 0715 0772 0796 0876 0930 0959
0989

INNER HEBRIDES
0266 0268 0368 0372 0540 0557 0700 0772 0796 0876 0959 0989

OUTER HEBRIDES
0017 0262 0271 0487 0717 0796

ST. KILDA
0487 0895

OUTLIERS
Nil

ORKNEY
0017 0019 0084 0325 0326 0983

SHETLAND
0017 0084 0191 0201 0267 0341 0573 0876 0956

FAIR ISLE
Nil

BIRDS

SCOTLAND - GENERAL

0002 0003 0004 0010 0012 0014 0030 0034 0036 0048 0058 0065
0067 0070 0073 0074 0079 0085 0088 0094 0100 0101 0102 0103
0106 0107 0108 0109 0111 0116 0124 0125 0126 0130 0133 0134
0136 0144 0148 0149 0156 0157 0158 0159 0160 0164 0165 0167
0181 0183 0184 0185 0186 0187 0197 0205 0209 0210 0212 0235
0237 0280 0282 0285 0290 0307 0316 0317 0318 0340 0345 0346
0350 0377 0384 0389 0391 0403 0404 0409 0432 0438 0441 0442
0455 0460 0464 0491 0493 0524 0547 0549 0600 0617 0618 0645
0648 0658 0669 0685 0706 0738 0739 0749 0757 0787 0788 0789
0790 0792 0793 0797 0811 0812 0821 0822 0829 0831 0841 0856
0863 0872 0884 0886 0887 0890 0892 0897 0898 0913 0920 0921
0927 0933 0950 0955 0963 0966 1002

SOLWAY

0034 0043 0070 0086 0091 0158 0194 0197 0215 0216 0217 0228
0231 0232 0235 0252 0255 0256 0258 0276 0286 0287 0299 0303
0314 0318 0319 0329 0345 0354 0376 0395 0397 0410 0443 0457
0458 0463 0465 0483 0492 0500 0501 0512 0519 0523 0528 0553
0564 0592 0593 0596 0599 0601 0602 0605 0612 0648 0649 0685
0687 0690 0691 0694 0703 0706 0710 0712 0713 0714 0718 0747
0750 0757 0758 0759 0760 0778 0779 0787 0810 0813 0817 0824
0841 0860 0864 0880 0883 0888 0891 0896 0904 0934 0937 0943
0957 0961 0970 0977

TWEED

0047 0051 0056 0066 0067 0068 0070 0075 0076 0086 0090 0102
0110 0112 0118 0119 0144 0160 0197 0206 0219 0235 0258 0278
0319 0349 0362 0376 0381 0395 0397 0402 0410 0414 0457 0459
0464 0483 0503 0513 0516 0544 0548 0553 0555 0564 0574 0579
0589 0590 0610 0629 0669 0694 0724 0740 0746 0764 0778 0788
0816 0824 0848 0849 0856 0896 0900 0902 0955 0957 0966

CLYDE

0002 0038 0046 0070 0085 0086 0108 0124 0160 0183 0184 0185
0186 0187 0197 0208 0233 0235 0247 0250 0255 0258 0294 0295
0311 0346 0357 0395 0401 0403 0422 0457 0463 0480 0483 0491
0494 0496 0503 0519 0520 0538 0541 0542 0543 0553 0554 0566
0570 0574 0582 0583 0586 0587 0588 0598 0603 0610 0621 0634
0642 0643 0667 0673 0675 0686 0689 0693 0694 0695 0711 0730
0739 0744 0762 0763 0777 0779 0783 0784 0786 0790 0792 0794
0805 0811 0824 0862 0877 0878 0896 0906 0912 0923 0951 0957
0968 0972 1001

FORTH

0011 0020 0025 0026 0027 0032 0045 0050 0070 0086 0092 0110
0122 0124 0137 0154 0160 0169 0188 0189 0197 0205 0211 0214
0221 0235 0245 0246 0258 0280 0311 0348 0350 0355 0374 0377
0382 0388 0397 0402 0404 0405 0414 0415 0422 0424 0441 0444
0446 0457 0466 0457 0466 0468 0474 0483 0498 0503 0513 0514
0515 0521 0529 0530 0531 0532 0533 0553 0565 0574 0593 0610
0611 0617 0619 0620 0622 0624 0635 0638 0639 0644 0646 0654
0655 0661 0662 0663 0668 0676 0688 0692 0694 0697 0705 0707
0708 0709 0714 0724 0725 0727 0745 0749 0779 0780 0785 0787
0799 0802 0808 0809 0812 0815 0820 0824 0831 0833 0838 0845
0846 0848 0853 0854 0857 0863 0865 0886 0887 0889 0896 0900
0902 0903 0921 0922 0941 0952 0957 0967 0973 0974 0975 0976
0984 0985 0986 0987 0988 0993 1003

TAY

0003 0011 0014 0018 0036 0039 0042 0049 0054 0058 0059 0064
0065 0070 0073 0078 0086 0088 0092 0096 0097 0098 0099 0103
0105 0107 0108 0110 0113 0115 0117 0121 0123 0124 0130 0136
0138 0152 0154 0157 0160 0163 0164 0165 0169 0197 0198 0204
0223 0235 0258 0290 0300 0307 0313 0315 0351 0354 0359 0363
0373 0376 0397 0422 0447 0457 0467 0468 0475 0483 0493 0503
0522 0526 0533 0553 0561 0562 0574 0576 0580 0581 0585 0610
0611 0624 0664 0672 0694 0720 0782 0806 0807 0812 0824 0829
0839 0848 0849 0872 0896 0905 0910 0924 0927 0941 0945 0949
0957 0963 0971 0981 0996

DEE

0005 0006 0015 0016 0021 0022 0031 0033 0039 0044 0048 0052
0064 0071 0072 0080 0081 0083 0086 0087 0095 0110 0114 0120
0124 0128 0129 0135 0145 0148 0149 0150 0153 0154 0159 0161
0162 0166 0167 0169 0172 0173 0196 0197 0213 0221 0229 0230
0235 0376 0397 0400 0409 0422 0438 0445 0453 0457 0483 0503
0511 0517 0527 0533 0553 0574 0600 0610 0694 0701 0714 0723
0732 0739 0755 0756 0824 0830 0848 0849 0850 0851 0852 0855
0859 0861 0870 0896 0898 0899 0919 0920 0957 0962 0981

MORAY

0018 0030 0037 0070 0086 0108 0124 0176 0197 0203 0209 0235
0274 0284 0331 0335 0361 0375 0397 0400 0414 0422 0426 0428
0451 0457 0483 0489 0499 0503 0553 0567 0574 0584 0610 0611
0618 0659 0671 0694 0702 0726 0732 0734 0751 0752 0753 0761
0765 0791 0793 0795 0819 0824 0832 0840 0896 0935 0936 0938
0942 0947 0948 0950 0957 0969 1002

CAITHNESS AND SUTHERLAND

0005 0070 0086 0124 0182 0197 0235 0246 0279 0281 0283 0297
0302 0332 0333 0356 0376 0397 0422 0457 0483 0503 0518 0553
0574 0610 0611 0645 0656 0666 0674 0684 0694 0704 0721 0735
0781 0821 0822 0824 0848 0849 0853 0858 0884 0896 0913 0957

NORTH-WEST HIGHLANDS

0005 0070 0086 0197 0235 0258 0304 0328 0376 0392 0439 0442
0448 0457 0462 0483 0524 0553 0574 0591 0610 0637 0641 0657
0658 0665 0714 0748 0769 0847 0882 0946 0957 0980 0991

ARGYLL

0014 0070 0086 0092 0109 0193 0197 0210 0233 0235 0236 0237
0247 0250 0251 0257 0258 0294 0295 0298 0334 0336 0347 0353
0357 0358 0379 0397 0425 0450 0457 0461 0478 0479 0481 0483
0488 0503 0540 0553 0560 0571 0574 0586 0610 0652 0658 0670
0673 0680 0694 0714 0729 0731 0739 0789 0798 0824 0844 0878
0896 0899 0911 0932 0940 0957 0989

INNER HEBRIDES

0092 0109 0197 0210 0236 0237 0250 0251 0257 0258 0334 0336
0347 0353 0379 0397 0425 0450 0457 0461 0478 0479 0483 0488
0503 0540 0553 0560 0574 0610 0637 0652 0657 0670 0680 0694
0714 0729 0789 0798 0824 0844 0896 0911 0932 0940 0946 0957
0980 0989 0991

OUTER HEBRIDES

0005 0053 0197 0222 0249 0253 0275 0291 0292 0293 0296 0306
0308 0309 0310 0312 0327 0330 0360 0383 0384 0385 0386 0391
0397 0416 0421 0429 0431 0437 0452 0456 0457 0478 0483 0502
0503 0553 0574 0575 0594 0604 0610 0623 0640 0660 0694 0719
0733 0754 0770 0824 0879 0896 0908 0926 0957 0964 0965 0980
0996

ST. KILDA

0457 0483 0553 0568 0834 0896 0925 0926 0957 0980

OUTLIERS

0305 0714 0980

ORKNEY

0087 0094 0126 0168 0197 0244 0246 0254 0277 0285 0288 0289
0352 0367 0380 0387 0397 0399 0430 0433 0457 0483 0490 0495
0497 0503 0525 0546 0553 0574 0610 0611 0625 0636 0653 0694
0696 0728 0824 0896 0957 0992 1000

SHETLAND

0086 0128 0139 0177 0195 0197 0199 0207 0248 0263 0316 0341
0366 0378 0390 0391 0397 0406 0422 0423 0427 0440 0449 0457
0477 0483 0503 0509 0510 0545 0553 0563 0569 0574 0595 0597
0610 0628 0694 0714 0722 0803 0804 0814 0818 0824 0866 0881
0885 0896 0901 0907 0939 0944 0949 0957 0990 1004

FAIR ISLE

Nil

REPTILES

SCOTLAND - GENERAL
0241 0320 0338 0364 0434

SOLWAY
0395

TWEED
0395

CLYDE
0338 0395 0994

FORTH
0823

TAY
0105 0241

DEE
0894

MORAY
0241 0320 0434

CAITHNESS AND SUTHERLAND
Nil

NORTH-WEST HIGHLANDS
Nil

ARGYLL
Nil

INNER HEBRIDES
Nil

OUTER HEBRIDES
0893

ST. KILDA
Nil

OUTLIERS
Nil

ORKNEY
Nil

SHETLAND
Nil

FAIR ISLE
Nil

AMPHIBIANS

SCOTLAND - GENERAL
0094 0170 0171 0408 0411 0454 0537 0609 0886

SOLWAY
Nil

TWEED
Nil

CLYDE
Nil

FORTH
0886

TAY
0105 0170 0393

DEE
0171 0614 0677

MORAY
0407 0411

CAITHNESS AND SUTHERLAND
0411

NORTH-WEST HIGHLANDS
0392 0411

ARGYLL
Nil

INNER HEBRIDES
Nil

OUTER HEBRIDES
Nil

ST. KILDA
Nil

OUTLIERS
Nil

ORKNEY
0094

SHETLAND
Nil

FAIR ISLE
Nil

FISHES

SCOTLAND - GENERAL
0061 0101 0240 0241 0260 0264 0321 0412 0419 0435 0476 0551
0871 0958 0982

SOLWAY
0077 0143 0217 0234 0238 0261 0264 0265 0418 0470 0607 0613
0714 0766 0767 0835 0837 0867 0982

TWEED
0077

CLYDE
0063 0077 0220 0259 0264 0419 0534 0608 0626 0647 0918 0954
0978 0982

FORTH
0035 0063 0077 0151 0155 0190 0240 0264 0337 0342 0417 0469
0472 0484 0534 0536 0572 0714 0737 0836 0838 0868 0928 0929
0958 0982 0997

TAY
0035 0062 0063 0077 0093 0151 0155 0241 0259 0321 0606

DEE
0007 0060 0093 0141 0146 0150 0155 0239 0259 0365 0412 0606
0613 0714 0869 0958 1006 1007 1008

MORAY
0155 0241 0412 0476 0535 0613 0771 0953 0982 0995

CAITHNESS AND SUTHERLAND
0301 0413 0435 0535 0552 0871

NORTH-WEST HIGHLANDS
0174 0471 0534 0678 0714 0871

ARGYLL
0035 0259 0260 0264 0419 0471 0534 0551 0613 0714

INNER HEBRIDES
0174 0260 0264 0471 0534 0613 0714

OUTER HEBRIDES
0471 0768

ST. KILDA
Nil

OUTLIERS
0714 0736

ORKNEY
0482 0550 0613 1005

SHETLAND
0139 0613 0714

FAIR ISLE
Nil

To be continued

Part 3: 1901-1925

Dr. J.A. Gibson, Scottish Natural History Library,
Foremount House, KILBARCHAN, Renfrewshire PA10 2EZ.

THE SCOTTISH NATURALIST

Volume 110

1998

110th Year 1998

Part One

Vertebrate Zoology in the Scottish Naturalist
Part 1: Introduction
By Dr. J.A. Gibson 3-11

The Roman Fort on Whitemoss Farm, Bishopton, Renfrewshire
2: Whitemoss and the Antonine Wall: The Place of Whitemoss in Roman Scotland
By Mr. Frank Newall 13-43

Notes on the Butterflies of Lady Isle, Ayrshire
By Dr. J.A. Gibson 45-48

Part Two

The Feeding Ecology of some *Bombus* and *Psithyrus* Bumble-Bees (Hym., Apidae) in Northern Scotland
By Dr. Murdo A. Macdonald 51-104

Exceptionally Large Fox at Fintry, West Stirlingshire
By Mr. John Mitchell 105-106

Part Three

Vertebrate Zoology in the Scottish Naturalist
Part 2: 1871-1900
By Dr. J.A. Gibson 109-205

THE SCOTTISH NATURALIST

Founded 1871

A Journal of Scottish Natural History

With which is incorporated *The Annals of Scottish Natural History* and *The Western Naturalist*

Record of Publication

The Scottish Naturalist and Journal of the Perthshire Society of Natural Science
1871

The Scottish Naturalist
1872-1891

The Annals of Scottish Natural History
1892-1911

The Scottish Naturalist
1912-1939, 1948-1957, 1961-1964

The Western Naturalist
1972-1982

The Scottish Naturalist
1983-date

Published by The Scottish Natural History Library

THE SCOTTISH NATURALIST

Founded 1871

A Journal of Scottish Natural History

With which is incorporated *The Annals of Scottish Natural History*
and *The Western Naturalist*

110th Year 1998

CONTENTS

1998 - Part 3

Vertebrate Zoology in the Scottish Naturalist
Part 2: 1871-1900
By Dr. J.A. Gibson 109-205

Title-Page and List of Contents 207-209

Published by The Scottish Natural History Library